Nitric Acid

IMPORTANT POINTS TO REMEMBER

- Nitric acid is commonly called as aqua fortis, i.e., strong water. Glauber first prepared Nitric acid by distilling mixture of nitre and concentrated Sulphuric acid.
- 2. Traces of Nitric acid come on to the earth in the form of Acid rain.

$$N_2 + O_2 \xrightarrow{\text{thunder/lightning}} 2NO$$
 $Nitric oxide$
 $2NO + O_2 \xrightarrow{\text{Nitrogen dioxide}} 2NO_2$
 $Nitrogen dioxide$
 $4NO_2 + 2H_2O + O_2 \xrightarrow{\text{Nitric acid}} 4HNO_3$
 $Nitric acid$
 $(Acid rain)$

3. In laboratory, Nitric acid is prepared by distilling either Sodium nitrate (NaNO₃) or Potassium nitrate (KNO₃) with concentrated Sulphuric acid. (Fig.1)

$$\begin{array}{c} \text{KNO}_{3} \text{ Potassium } \\ \text{nitrate} \end{array} + \text{H}_{2}\text{SO}_{4} \text{ (conc.)} \xrightarrow{\text{below } 200^{\circ} \text{ C}} \xrightarrow{\text{KHSO}_{4}} + \text{HNO}_{3} \\ \text{Potassium } \\ \text{bisulphate} \end{array} \xrightarrow{\text{Nitric } \\ \text{acid}} \end{array}$$

$$\begin{array}{c} 2\text{KNO}_{3} \text{ + H}_{2}\text{SO}_{4} \text{ (conc.)} \xrightarrow{\text{above } 200^{\circ} \text{ C}} \xrightarrow{\text{K}_{2}\text{SO}_{4}} + 2\text{HNO}_{3} \\ \text{Potassium } \\ \text{Nitric } \\ \text{sulphate} \end{array} \xrightarrow{\text{Nitric } \\ \text{sulphate}} \xrightarrow{\text{Nitric } \\ \text{sodium } \\ \text{nitrate}} \end{array}$$

$$\begin{array}{c} \text{NaNO}_{3} \text{ + H}_{2}\text{SO}_{4} \text{ (conc.)} \xrightarrow{\text{above } 200^{\circ} \text{ C}} \xrightarrow{\text{NaHSO}_{4}} + \text{HNO}_{3} \\ \text{Sodium } \\ \text{nitrate} \end{array}$$

$$\begin{array}{c} \text{NaNO}_{3} \text{ + H}_{2}\text{SO}_{4} \text{ (conc.)} \xrightarrow{\text{above } 200^{\circ} \text{ C}} \xrightarrow{\text{Na}_{2}\text{SO}_{4}} + 2\text{HNO}_{3} \\ \text{Sodium } \\ \text{nitrate} \end{array}$$

$$\begin{array}{c} \text{NaNO}_{3} \text{ + H}_{2}\text{SO}_{4} \text{ (conc.)} \xrightarrow{\text{above } 200^{\circ} \text{ C}} \xrightarrow{\text{Na}_{2}\text{SO}_{4}} + 2\text{HNO}_{3} \\ \text{Sodium } \\ \text{Nitric } \\ \text{sulphate } \xrightarrow{\text{acid}} \end{array}$$




Fig. 1. Laboratory preparation of Nitric acid

4. The reaction mixture should **not** be **heated beyond 200** °C because Nitric acid **decomposes** at higher temperatures. Above 200 °C sodium sulphate forms a hard crust which sticks to the wall of apparatus and is very difficult to remove and apparatus gets damaged.

$$4HNO_3 \longrightarrow 4NO_2 + 2H_2O + O_2$$

5. The apparatus used for the preparation of Nitric acid must be made of all glass as the vapours of Nitric acid are corrosive, therefore, it damages the rubber and cork.

Vapours of nitric acid get condensed into pale yellow liquid by cooling the receiver with the cold water in this way the nitric acid gets collected.

- 6. Pure Nitric acid is colourless however commercial sample of Nitric acid is pale yellow in colour due to the presence of dissolved Nitrogen dioxide.
- 7. Nitric acid is manufactured by Ostwald's process. (Fig. 2)




Fig. 2. Manufacture of Nitric acid by Ostwald's process

(a) Catalytic oxidation of Ammonia: The gases entering the catalytic chamber must be absolutely pure otherwise it would poison the catalyst. Only the initial heating of the catalyst is required as the reaction is exothermic.

$$4NH_3 + 5O_2 \xrightarrow{Pt} 4NO + 6H_2O$$


(b) Oxidation Chamber: Before entering the oxidation chamber the gases must be cooled so that complete oxidation of Nitric oxide takes place.

$$2\mathrm{NO} + \mathrm{O_2} \xrightarrow{50^{\circ}\mathrm{C}} 2\mathrm{NO_2}$$

(c) Absorption Tower: The water slowly trickles down through the absorption tower, which is packed with quartz and nitrogen dioxide slowly rises up and get merged with water to form nitric acid. The quartz packing provides a greater surface area in which nitrogen dioxide comes in contact with water.

$$4NO_2 + 2H_2O + O_2 \longrightarrow 4HNO_3$$

Flow Chart for the Manufacture of Nitric acid By Ostwald's Process



8. Nitric acid is unstable and it decomposes slightly even at room temperature.

$$4\text{HNO}_3 \xrightarrow{\Delta} 2\text{H}_2\text{O} + 4\text{NO}_2 + \text{O}_2$$

9. Nitric acid is a typical monobasic acid. It gives all the properties of a dilute acid.

(a) Dilute nitric acid shows characteristic colour change with indicators

Indicators	Colour change	
1. Blue litmus	Red	
2. Phenolphthalein	Colourless	
3. Methyl orange	Red	

(b) It reacts with metallic Oxides and metallic Hydroxides to form salt and water (neutralization).

(c) It reacts with metallic Carbonates and metallic Bicarbonates to liberate Carbon dioxide.

$$NaHCO_3 + HNO_3 \longrightarrow NaNO_3 + H_2O + CO_2$$
 $Na_2CO_3 + 2HNO_3$ (dil.) $\longrightarrow 2NaNO_3 + H_2O + CO_2$
Sodium
Carbonate

Sodium
Water
nitrate

Pure nitric acid is colourless however the commercial sample of nitric acid is pale yellow in colour due to the presence of dissolved nitrogen dioxide.

metals. Only Magnesium and Manganese react Mg + 2HNO ₃ (v. dil.) — Mg Mn + 2HNO ₃ (v. dil.) — Mn Nitric acid reacts with metals to produce either Andepending upon the concentration of nitric at 3Cu + 8HNO ₃ (dil.) — 3Cu Cu + 4HNO ₃ (conc.) — Cu(Copper dissolves in concentrated nitric acid to reddish brown gas having pungent smell which solution brown black. Compounds: H ₂ S + 2HNO ₃ (conc.) — 2H Nitric acid is used in the manufacture of dyes Identification of nitric acid: This is tested in the	SO ₄ + 6NO ₂ + 2H ₂ O efore it does not liberate hydrogen on reaction with twith very dilute nitric acid to liberate hydrogen. (NO ₃) ₂ + H ₂ (NO ₃) ₂ + H ₂ mmonium nitrate or various oxides of nitrogen cid. Cu(NO ₃) ₂ + 4H ₂ O + 2NO NO ₃) ₂ + 2H ₂ O + 2NO ₂ give blue coloured solution with the liberation of turns freshly prepared acidified ferrous sulphate (O + 2NO ₂ + S s, paints, fertilizers, aqua-regia, etc. he same manner as test for NO ₃ ion and identification
of NO ₂ gas done in lab by using copper turning PREVIOUS YEARS' QUESTIONS	agiot anthough root rough and rine thin
2012	Q2. What do you observe when copper is added
Q1. Name the gas in each of the following:	to concentrated nitric acid. [1]
The gas produced when copper reacts with concentrated nitric acid. [1] Ans. Nitrogen dioxide Q2. Some word/words are missing in the	Ans. Pinkish red metal dissolves to give blue or bluish green solution with the liberation of reddish brown coloured gas having pungent suffocating smell.
The gas produced when copper reacts with concentrated nitric acid. [1] Ans. Nitrogen dioxide Q2. Some word/words are missing in the following statement. You are required to rewrite the statement in the correct form using the appropriate word/words: Agua regia contains one part by volume	green solution with the liberation of reddish brown coloured gas having pungent suffocating smell. Q3. Choose the correct answer from the options given below The brown ring test is used for detection of
The gas produced when copper reacts with concentrated nitric acid. [1] Ans. Nitrogen dioxide Q2. Some word/words are missing in the following statement. You are required to rewrite the statement in the correct form using the appropriate word/words: Aqua regia contains one part by volume of nitric acid and three parts by volume of hydrochloric acid. [1] Ans. Aqua regia contains one part of concentrated	green solution with the liberation of reddish brown coloured gas having pungent suffocating smell. Q3. Choose the correct answer from the options given below The brown ring test is used for detection
The gas produced when copper reacts with concentrated nitric acid. [1] Ans. Nitrogen dioxide Q2. Some word/words are missing in the following statement. You are required to rewrite the statement in the correct form using the appropriate word/words: Aqua regia contains one part by volume of nitric acid and three parts by volume of hydrochloric acid. [1] Ans. Aqua regia contains one part of concentrated nitric acid and three parts of concentrated hydrochloric acid. Q3. Give reasons for the following:	green solution with the liberation of reddish brown coloured gas having pungent suffocating smell. Q3. Choose the correct answer from the options given below The brown ring test is used for detection of [1] (A) CO ₃ ²⁻ (B) NO ₃ ⁻ (C) SO ₃ ²⁻ (B) Cl ⁻ Ans. B or NO ₃ ⁻ Q4. (a) What is the special feature of the apparatus that is used in the
The gas produced when copper reacts with concentrated nitric acid. [1] Ans. Nitrogen dioxide Q2. Some word/words are missing in the following statement. You are required to rewrite the statement in the correct form using the appropriate word/words: Aqua regia contains one part by volume of nitric acid and three parts by volume of hydrochloric acid. [1] Ans. Aqua regia contains one part of concentrated nitric acid and three parts of concentrated hydrochloric acid.	green solution with the liberation of reddish brown coloured gas having pungent suffocating smell. Q3. Choose the correct answer from the options given below The brown ring test is used for detection of [1] (A) CO ₃ ²⁻ (B) NO ₃ ⁻ (C) SO ₃ ²⁻ (B) Cl ⁻ Ans. B or NO ₃ ⁻ Q4. (a) What is the special feature of the apparatus that is used in the laboratory preparation of nitric acid? (b) Why should the temperature of the reaction mixture of nitric acid not allowed to rise above 200°C. [2]
The gas produced when copper reacts with concentrated nitric acid. [1] Ans. Nitrogen dioxide Q2. Some word/words are missing in the following statement. You are required to rewrite the statement in the correct form using the appropriate word/words: Aqua regia contains one part by volume of nitric acid and three parts by volume of hydrochloric acid. [1] Ans. Aqua regia contains one part of concentrated nitric acid and three parts of concentrated hydrochloric acid. Q3. Give reasons for the following: Iron is rendered passive with fuming nitric acid. [1] Ans. A coating of thin oxide is formed or an oxide	green solution with the liberation of reddish brown coloured gas having pungent suffocating smell. Q3. Choose the correct answer from the options given below The brown ring test is used for detection of [1] (A) CO ₃ ²⁻ (B) NO ₃ ⁻ (C) SO ₃ ²⁻ (B) CI Ans. B or NO ₃ ⁻ Q4. (a) What is the special feature of the apparatus that is used in the laboratory preparation of nitric acid? (b) Why should the temperature of the reaction mixture of nitric acid not

Q1.	Select from the list which matches the The compound respond to the ring during the broken on. (A) Nitrosoiron(II) (B) Iron(III) chlorid (C) Chromium sulp (D) Lead(II) chlorid (E) Sedium chlorid	t given below (A description give ponsible for the bown ring test of a sulphate le	en. brown nitrate	Ans.	Nar acc acti Nitr	[3 parts] and concent [1 part] 2009 ne the gas evolved eptable). The gas prion of dilute nitric actic oxide 2008 ntify the substance:	(formula is not coduced by the id on copper.[1]
Ans.	(E) Sodium chloride	10, + 8	[1]		give	hydrogen when reac	ted with metals
Q2.	Select the correctooices A, B, C and Write only the letter correct answer. Aqua regia is a min (A) Dilute hydroconcentrated in (B) Concentrated dilute nitric accentrated and the concentrated of the concent	d D which are g er corresponding exture of : ochloric acid nitric acid hydrochloric acid	to the	Q2.	Nitr Writnitr 3Cu Cop imp refe	does give a gas when per. ic acid te equations for the r ic acid and copper + 8HNO ₃	eaction: Dilute [1] $_{3})_{2} + 4H_{2}O + 2NO$ able relating to cesses. Output the process not
eno	Name of process	Inputs	C	atalys	t 110	Equation for catalysed reaction	Output
aolt:	est is used for detec	Ammonia + air		each		da coe leine energent l	Nitric acid
Ans.	5.027.0	B) S. Methylogy	8	111	OA-N	acid and three parts b	DESIGNATION OF THE PARTY OF THE
	Name of process	Inputs	Catal	yst	igins Inous	Equation for catalysed reaction	Output
(Ostwald's process	Ammonia + air	Platin	um 4	NH ₃	+ 5O ₂ Pt 4NO+6	H ₂ O Nitric acid

Q4. What is the property of nitric acid which allows it to react with copper?

(c) concentrated hydrochioric acid [1 part] and concentrated nitric acid

(D) Concentrated hydrochloric acid

[1]

of nitric acts by Ostwald's process

[3 parts]

43. Write balanced chemical equation for the


Ans. $Fe(OH) + 3HNO \longrightarrow Fe(NO_a) + 3H_aO$

acid.

reaction of ferric hydroxide with nitric

Ans. Oxidizing agent.

Q1. The figure given below illustrates the apparatus used in the laboratory preparation of nitric acid.



- (i) Name A (a liquid), B (a solid) and C (a liquid). (Do not give the formulae)
- (ii) Write an equation to show how nitric acid undergoes decomposition.
- (iii) Write the equation for the reaction in which copper is oxidized by concentrated nitric acid. [5]

$$(ii) \ \ 4\text{HNO}_3 \stackrel{\Delta}{-\!\!\!-\!\!\!-\!\!\!-\!\!\!-} 2\text{H}_2\text{O} + 4\text{NO}_2 + \text{O}_2 \quad (iii) \quad \text{Cu} + 4\text{HNO}_3 \longrightarrow \text{Cu}(\text{NO}_3)_2 + 2\text{H}_2\text{O} + 2\text{NO}_2$$

Q1. What do you observe when:
nitric acid is kept in a reagent bottle for
a long time?
[1]

2006

Ans. It turns brown in colour.

- Q2. (i) Explain why only all glass apparatus should be used for the preparation of nitric acid by heating concentrated sulphuric acid and potassium nitrate.
 - (ii) Write a chemical equation to illustrate the acidic nature of nitric acid. [2]
- Ans. (i) The vapours of nitric acid are highly corrosive in nature, therefore, it destroys or damages the rubber cork.
 - (ii) NaOH + $HNO_3 \longrightarrow NaNO_3 + H_2O$ (Neutralisation)

2005

- Q1. Write balanced chemical equations for the following reactions:
 - (i) Sulphur and hot concentrated nitric acid
 - (ii) Sodium nitrate and concentrated sulphuric acid [2]

Ans. (i)
$$S + 6HNO_3(conc.) \longrightarrow H_2SO_4 + 6NO_2 + 2H_2O_3(conc.)$$

 $(ii) \ \ \text{NaNO}_3 + \text{H}_2\text{SO}_4(\text{conc.}) \xrightarrow{\quad \text{below} \quad } \text{NaHSO}_4$

+ HNO3

- Q2. (i) Dilute nitric acid is generally considered a typical acid except for its reaction with metals. In what way is dilute nitric acid different from other acids when it reacts with metals?
- (ii) Write the equation for the reaction of dilute nitric acid with copper.
- (iii) Account for the yellow colour that appears in concentrated nitric acid when it is left standing in an ordinary glass bottle. [3]
- Ans. (i) Dilute nitric acid is an oxidizing agent, therefore, it reacts with metals to produce oxides of nitrogen and not hydrogen.
- (ii) $3\text{Cu} + 8\text{HNO}_3 \rightarrow 3\text{Cu}(\text{NO}_3)_2 + 4\text{H}_2\text{O} + 2\text{NO}$
 - (iii) Concentrated nitric acid appears yellow because of the presence of dissolved Nitrogen dioxide.

IMPORTANT QUESTIONS

- Q1. During thunder storm, the rain water contains Nitric acid. The Nitric acid is formed as a result of three chemical reactions. Describe (or write balanced chemical equations for) these three reactions.
- Ans. $N_2 + O_2 \xrightarrow{\text{Thunder}} 2NO$ $2NO + O_2 \xrightarrow{\text{lightning}} 2NO_2$ $4NO_2 + 2H_2O + O_2 \xrightarrow{\text{4NO}_3} 4HNO_3$
 - Q2. Write balanced chemical equation for the production of Nitrogen dioxide using Copper.
- Ans. $Cu + 4HNO_3(conc.) \longrightarrow Cu(NO_3)_2 + 2NO_2 + 2H_2O$
- Q3. Write equations for the laboratory preparation of:

 Nitric acid from Potassium nitrate.
- Ans. $KNO_3 + H_2SO_4(conc.) \xrightarrow{below} KHSO_4 + HNO_3$
- Q4. Name the products formed when:
 - (a) A mixture of Carbon and concentrated Nitric acid is heated.
 - (b) Dilute Nitric acid is added to Copper.
- Ans. (a) Carbon dioxide, Water and Nitrogen dioxide.
- (b) Copper nitrate, Water and Nitric oxide.
- Q5. (a) Give reasons for the following:

 In the laboratory preparation of Nitric acid, the mixture of concentrated Sulphuric acid and Sodium nitrate should not be heated very strongly above 200°C.
- (b) Complete and balance the following chemical equations
 Cu + HNO₃ → ___ + NO₂ + ___
 - (c) State the conditions for the oxidation of Ammonia to Nitrogen monoxide (Nitric oxide) in the manufacture of Nitric acid by Ostwald's Process. Also write the balanced equations for the reactions which take place.
- Ans. (a) The reaction mixture should not be heated strongly as the Nitric acid formed decomposes to give Nitrogen dioxide.
 - $\begin{array}{c} \text{4HNO}_3 \stackrel{\Delta}{\longrightarrow} \text{4NO}_2 + 2\text{H}_2\text{O} + \text{O}_2 \\ \text{(b)} \ \text{Cu} + \text{4HNO}_3 \text{(conc.)} \longrightarrow \text{Cu(NO}_3)_2 \\ & + 2\text{NO}_2 + 2\text{H}_2\text{O} \end{array}$

- (c) $4NH_3 + 5O_2 \xrightarrow{Pt} 4NO + 6H_2O$
- Q6. Name the following:
 - (a) The chemical name of an unstable brown coloured compound formed during brown ring test for nitrates.
 - (b) Two metals which react with dilute Nitric acid to liberate Hydrogen.
 - (c) Gas liberated when Potassium iodide reacts with concentrated Nitric acid.
 - (d) A yellow non-metal formed when Hydrogen sulphide gas is passed, through concentrated Nitric acid.
 - (e) A metallic Nitrate that decripitates on heating.
 - (f) A colourless gas which becomes reddish brown when it comes in contact with atmosphere.
- Ans. (a) Nitrosoferrous sulphate.
 - (b) Magnesium and Manganese.
 - (c) Iodine.
 - (d) Sulphur.
 - (e) Lead nitrate.
 - (f) Nitric oxide.
- Q7. How are the following conversions carried out? Give equations only.
 - (a) $Na_2CO_3 \xrightarrow{A} NaNO_3 \xrightarrow{B} O_2$
 - (b) $Mg \xrightarrow{A} Mg(NO_3)_2 \xrightarrow{B} NO_2 \xrightarrow{C} HNO_3$
- Ans. (a) A: $Na_2CO_3 + 2HNO_3 \rightarrow 2NaNO_3 + H_2O + CO_2$
 - $B: 2NaNO_3 \xrightarrow{\Delta} 2NaNO_2 + O_2$
 - (b) A: Mg + 2HNO₃(v. dil.) \longrightarrow Mg(NO₃)₂ + H₂
 - $B: 2Mg(NO_3)_2 \xrightarrow{\Delta} 2MgO + 4NO_2 + O_2$
 - $C: 4NO_2 + 2H_2O + O_2 \longrightarrow 4HNO_3$
 - Q8. Write balanced chemical equations for the following:
 - (a) Nitric oxide comes in contact with atmosphere.
 - (b) Nitre reacts with concentrated Sulphuric acid.
- **Ans.** (a) $2NO + O_2 \longrightarrow 2NO_2$
 - (b) $KNO_3 + H_2SO_4(conc.) \xrightarrow{below} KHSO_4 + HNO_3$

- Q9. What do you observe when:
 - (a) Nitric acid is dropped over heated saw dust.
 - (b) Nitrogen dioxide is passed through acidified freshly prepared Ferrous sulphate solution.
 - (c) Concentrated Sulphuric acid is slowly added from the sides of the test-tube containing a solution of Nitrate and equal volume of freshly prepared Ferrous sulphate solution.
 - (d) Concentrated Nitric acid comes in contact with skin.
 - (e) Nitric oxide comes in contact with atmosphere.
- Ans. (a) Heated saw dust catches fire, i.e., bursts into flame.
 - (b) The solution turns brown black.
 - (c) A brown ring is formed at the junction of two liquids.
 - (d) The skin turns yellow.
 - (e) Colourless Nitric oxide immediately changes to Reddish brown coloured gas.
- Q10. Give reasons for the following:
 - (a) During the manufacture of Nitric acid by Ostwald's process excess of Oxygen is taken.
 - (b) Before the gases are allowed to enter the oxidation chamber the gases are sufficiently cooled.
 - (c) The gases entering the catalytic chamber must be pure.
 - (d) Commercial Nitric acid is pale yellow in colour.
- Ans. (a) Excess of Oxygen is taken because each and every step requires Oxygen.
 - (b) The gases are cooled so that the complete oxidation of Nitric oxide takes place or the rate of forward reaction increases or to

- minimize the decomposition of Nitrogen dioxide.
- (c) Gases entering the catalytic chamber must be pure, otherwise, it would poison the catalyst.
- (d) Commercial Nitric acid is pale yellow in colour because of the presence of dissolved Nitrogen dioxide.
- Q11. The following questions are related with the Laboratory preparation of Nitric acid
 - (a) Name the two compounds used for the preparation of Nitric acid in laboratory.
 - (b) Write balanced chemical equation for the laboratory preparation of Nitric acid from the above named compounds.
 - (c) What is the special feature of the apparatus used for the preparation of Nitric acid in laboratory?
 - (d) During the laboratory preparation of Nitric acid, why the reaction mixture is not heated beyond 200 °C?
- Ans. (a) Potassium nitrate or Sodium nitrate and concentrated Sulphuric acid.
 - (b) $KNO_3 + H_2SO_4(conc.) \xrightarrow{below} KHSO_4 + HNO_3$

$$NaNO_3 + H_2SO_4(conc.) \xrightarrow{below} NaHSO_4 + HNO_3$$

- (c) The apparatus used for the preparation of Nitric acid must be made of all glass.
- (d) The reaction mixture is not heated beyond 200 °C because,
 - (i) Nitric acid decomposes above 200 °C

 $4HNO_3 \xrightarrow{\Delta} 4NO_2 + 2H_2O + O_2$

(ii) Sodium sulphate or Potassium sulphate formed above 200 °C is a sticky mass and destroys the glass apparatus.

(a) Contact process

Q1. Fill i	in the blanks	
(<i>i</i>)	3 to institute injuries.	
	Nitric acid is a strong agent therefore it does not liberate Hydrogen on react metals.	ion
(iii)	Nitric acid is manufactured by process and the catalyst employed is	
(iv)	Copper on reaction with concentrated nitric acid produces, and _	
(v)	Copper on reaction with dilute Nitric acid produces, and	
	Nitric acid is a, acid	
	The salts of nitric acid are called	
	Rain water contains the traces of acid.	
	Sulphur on reaction with concentrated Nitric acid produces acid.	
	Nitric acid in laboratory is prepared by the reaction of and acid.	
	, complete and balance the following equations.	
(i)	$KNO_3 + H_2SO_4 \text{ (conc.)} \xrightarrow{\text{below}}++$	
(ii)	$N_2 + O_2 \longrightarrow$	
(iii)	$2NO + O_2 \longrightarrow$	
(iv)	$4NO_9 + 2H_9O + O_9 \longrightarrow$	
(v)	$3\text{Cu} + 8\text{HNO}_3 \longrightarrow++++++$	
(vi)	$Cu + 4HNO_3 \longrightarrow $ + +	
(vii)	$C + 4HNO_3 \longrightarrow+$	
(viii)	$OS + 6HNO_3 \longrightarrow $	
	$P + 5HNO_3 \longrightarrow +$	
(x)	$NaOH + HNO_3 \longrightarrow+$	
	whether the following statements are True or False.	
(i) Ni	litric acid is a dibasic acid.	
(ii) Ni	Vitric acid is a strong oxidizing agent.	
(iii) Ni	litric acid is manufactured by Ostwald's process.	
	n oxidation chamber, high temperature is maintained.	
	Vitric acid on heating gives nitrogen dioxide, water and oxygen. Ose the correct answer	
	Vitric acid is manufactured by	
4 4	Contact process (b) Ostwald's process	
) Haber's process (d) none of these	
ns. (a	CONTROL OF THE PROPERTY OF THE	

(ii) Sulphur on reacting with concentrated Nitr						
(w) Darpara areas	Sulphur trioxide					
(c) Sulphuric acid (d) a	all of the above					
(a) (b)	(c) (d)					
(iii) Copper on reaction with dilute Nitric acid	produces the following oxide of Nitrogen					
(4)	Nitric oxide					
(c) Nitrous oxide (d) 1	none of these					
(a) (b)	(d)					
(iv) The gaseous reactants used during Ostwal	d's process are					
(a) Nitrogen and Oxygen (b)	Oxygen and Carbon dioxide					
(c) Chlorine and Nitrogen (d)	Ammonia and Oxygen					
. (a) (b)	(d)					
(v) Commercial sample of Nitric acid is pale y	rellow in colour due to the presence of dissolved					
	Sulphuric acid					
(c) Oxygen (d)	Nitrogen dioxide					
(b)	(d)					
of Nurse and in laboratory	of the real Name the reactants used for the properation					
Answers						
thy conversion in terror enough not be neighed beyon	(d) For the laboratory preparation of entries and w					
. (i) Magnesium, Manganese	(ii) Oxidizing (iv) Companyity to Water Nitrogen dioxide					
(iii) Ostwald, Platinum	(iv) Copper nitrate, Water, Nitrogen dioxide (vi) strong, monobasic					
(v) Copper nitrate, Water, Nitric oxide (vii) nitrate	(viii) nitric					
(ix) sulphuric						
(x) Potassium nitrate, concentrated Sulphurio						
2. (i) $\text{KNO}_3 + \text{H}_2\text{SO}_4 \text{ (conc.)} \xrightarrow{\text{below}} \text{KHSO}_4 +$	$\text{HNO}_3(ii) \text{ N}_2 + \text{O}_2 \longrightarrow 2\text{NO}$					
(iii) 2NO + O ₀ \longrightarrow 2NO ₂	(iv) $4NO_2 + 2H_2O + O_2 \longrightarrow 4HNO_3$					
(v) $3Cu + 8HNO_3 \longrightarrow 3Cu(NO_3)_2 + 4H_2O +$	2NO (vi) Cu + 4HNO ₃ \longrightarrow Cu(NO ₃) ₂ + 2H ₂ O + 2NO ₂					
(vii) C + 4HNO ₃ \longrightarrow CO ₂ + 4NO ₂ + 2H ₂ O	$(viii)$ S + 6HNO ₃ \longrightarrow H ₂ SO ₄ + 6NO ₂ + 2H ₂ O					
(ix) P+5HNO ₃ \longrightarrow H ₃ PO ₄ + 5NO ₂ + H ₂ O	(x) NaOH + HNO ₃ \longrightarrow NaNO ₃ + H ₂ O					
3. (i) False (ii) True (iii						
4. (i) b (ii) c (iii	$(iv) \ d \qquad (v) \ d$					

Ins.

Ans

Ans

Ans

Q1.	Name the acid which directly converts Sulphur to Sulphuric acid. Write balanced chemical equation support of your answer.	ir 2
02	Why commercial sample of Nitric acid is pale yellow in colour?	2
200	What is the effect of adding dilute Nitric acid to (i) Blue litmus solution	-
	(ii) Phenolphthalein	
	(iii) Methyl orange	3
Q4.	Rain water contains traces of Nitric acid. Write three balanced chemical equations in support of you	ur
	answer. (a) American Marcolan (b) American Marcolan (b)	3
Q5.	Name the process by which Nitric acid is manufactured. Write balanced chemical equation in support of your answer.	rt 4
Q6.	Write balanced chemical equations for the following.	
	(i) Nitric acid reacts with metal to produce Hydrogen	
	(ii) Nitric acid reacts with metal to produce Nitrogen dioxide	
	(iii) Nitric acid reacts with metal to produce Nitric oxide	
	(iv) Nitric acid reacts with carbon to form Carbon dioxide	4
Q7.	(a) Name the reactants used for the preparation of Nitric acid in laboratory	
	(b) Write balanced chemical equation for the above reaction taking place.	
	(c) Why the apparatus used for the preparation of Nitric acid made of glass?	5
	(d) For the laboratory preparation of nitric acid why the reaction mixture should not be heated beyon 200°C? (Give two reasons).	d 2