

FRACTION

[INCLUDING PROBLEMS BASED ON FRACTIONS]

4.1 BASIC CONCEPT

If an apple is divided into five equal parts; each part is said to be one-fifth $\left(\frac{1}{5}\right)$ of the whole apple. And, if out of these five equal parts, 2 parts are eaten; we say two-fifth $\left(\frac{2}{5}\right)$ of the apple is eaten or three-fifth $\left(\frac{3}{5}\right)$ of the apple is left.

The numbers $\frac{1}{5}$, $\frac{2}{5}$ and $\frac{3}{5}$ used in the statement, given above, are called **fractions**. Each of these fractions indicates a part of the whole.

In fraction $\frac{a}{b}$, **a** is called the **numerator** and **b** is called the **denominator** of the fraction.

$$\therefore \text{FRACTION} = \frac{\text{Numerator}}{\text{Denominator}}$$

Every fraction can be expressed as $\frac{a}{b}$, where **a** and **b** are integers and $b \neq 0$ i.e. denominator is not equal to zero.

4.2 CLASSIFICATION OF FRACTIONS

Types of fractions	Condition	Examples
1. Decimal fraction	denominator is 10 or higher power of 10.	$\frac{1}{10}$, $\frac{3}{100}$, $\frac{15}{1000}$, $\frac{8}{10^5}$,
2. Vulgar fraction	denominator is other than 10, 100, 1000, etc.	$\frac{2}{5}$, $\frac{4}{7}$, $\frac{8}{19}$, $\frac{23}{107}$,
3. Proper fraction	denominator is greater than its numerator.	$\frac{4}{5}$, $\frac{3}{7}$, $\frac{101}{235}$,
4. Improper fraction	denominator is less than its numerator.	$\frac{7}{5}$, $\frac{18}{13}$, $\frac{181}{60}$,
5. Mixed fraction	consists of an integer and a proper fraction.	$2\frac{5}{7}$, $1\frac{3}{5}$, $10\frac{1}{9}$,

If the numerator is equal to the denominator, the fraction is equal to **unity** (one).

$$\text{e.g. } \frac{4}{4} = 1, \frac{-3}{-3} = 1, \frac{49}{49} = 1 \text{ and so on.}$$

Important : (a) $\frac{7}{20} = \frac{7 \times 5}{20 \times 5} = \frac{35}{100}$, a decimal fraction.

(b) $\frac{81}{500} = \frac{81 \times 2}{500 \times 2} = \frac{162}{1000}$, a decimal fraction.

$\therefore$ If the denominator of a fraction can be expressed as 10 or as some higher power of 10, it is a decimal fraction.

Example 1 :

(a) Convert : (i) $3\frac{2}{7}$ (ii) $2\frac{5}{8}$ into improper fractions.

(b) Convert : (i) $\frac{11}{4}$ (ii) $\frac{19}{5}$ into mixed fractions.

Solution :

(a) (i) $3\frac{2}{7} = \frac{3 \times 7 + 2}{7} = \frac{23}{7}$ (Ans.)

Given mixed fraction = $\frac{\text{Integral part} \times \text{Denominator} + \text{Numerator}}{\text{Denominator}}$

(ii) $2\frac{5}{8} = \frac{2 \times 8 + 5}{8} = \frac{16 + 5}{8} = \frac{21}{8}$ (Ans.)

(b) (i) $\frac{11}{4} = \frac{2 \times 4 + 3}{4} \quad \therefore \begin{array}{r} 4 \overline{) 11} 2 \\ \underline{8} \\ 3 \end{array}$
 $= 2 + \frac{3}{4} = 2\frac{3}{4}$ (Ans.)

(ii) $\frac{19}{5} = \frac{3 \times 5 + 4}{5} \quad \therefore \begin{array}{r} 5 \overline{) 19} 3 \\ \underline{15} \\ 4 \end{array}$
 $= 3 + \frac{4}{5} = 3\frac{4}{5}$ (Ans.)

1. The value of a fraction remains the same if both its numerator and denominator are (i) multiplied or (ii) divided by the same non-zero number.

e.g. (i) $\frac{5}{8} = \frac{5 \times 2}{8 \times 2} = \frac{10}{16}$; $\frac{3}{7} = \frac{3 \times 5}{7 \times 5} = \frac{15}{35}$ and so on.

(ii) $\frac{10}{16} = \frac{10 \div 2}{16 \div 2} = \frac{5}{8}$; $\frac{15}{35} = \frac{15 \div 5}{35 \div 5} = \frac{3}{7}$ and so on.

2. A fraction must always be expressed in its lowest term.

4.3 REDUCING A GIVEN FRACTION TO ITS LOWEST TERM

Steps : First of all find H.C.F. of both the terms (numerator and denominator) of the given fraction. Then divide each term by this H.C.F.

Example 2 :

Reduce : (i) $\frac{48}{60}$ (ii) $\frac{18}{27}$ to their lowest terms.

Solution :

(i) Since, H.C.F. of terms 48 and 60 = 12.

$$\therefore \frac{48}{60} = \frac{48 \div 12}{60 \div 12}$$

[Dividing each term by 12]

$$= \frac{4}{5}$$

(Ans.)

(ii) Since, H.C.F. of 18 and 27 is 9

$$\therefore \frac{18}{27} = \frac{18 \div 9}{27 \div 9} = \frac{2}{3} \quad (\text{Ans.})$$

Alternative Method :

Resolve both the numerator and the denominator into prime factors, then cancel out the common factors among both.

$$\text{Since, } 48 = 2 \times 2 \times 2 \times 2 \times 3 \quad \text{and} \quad 60 = 2 \times 2 \times 3 \times 5$$

$$\therefore \frac{48}{60} = \frac{\cancel{2} \times \cancel{2} \times 2 \times 2 \times \cancel{3}}{\cancel{2} \times \cancel{2} \times \cancel{3} \times 5} \quad [\text{Cancelling out the common factors}]$$

$$= \frac{2 \times 2}{5} = \frac{4}{5}$$

(Ans.)

4.4 EQUIVALENT (EQUAL) FRACTIONS

Fractions having the same value are called equivalent fractions.

$$\text{e.g., Since, } \frac{20}{25} = \frac{20 \div 5}{25 \div 5} = \frac{4}{5} \quad \text{and} \quad \frac{28}{35} = \frac{28 \div 7}{35 \div 7} = \frac{4}{5}$$

$$\therefore \text{Fractions } \frac{20}{25} \text{ and } \frac{28}{35} \text{ are equivalent, i.e., } \frac{20}{25} = \frac{28}{35} = \frac{4}{5}.$$

4.5 SIMPLE AND COMPLEX FRACTIONS

A fraction, whose *numerator and denominator both are integers*, is called a *simple fraction*; whereas a fraction, whose *numerator or denominator or both are not integers*, is called a *complex fraction*.

$$\text{e.g. (i) Each of } \frac{3}{8}, \frac{-10}{17}, \frac{8}{-15}, \text{ etc., is a simple fraction.}$$

$$\text{(ii) Each of } \frac{5}{2/3}, \frac{1.4}{8}, \frac{9/14}{2\frac{3}{7}}, \text{ etc., is a complex fraction.}$$

EXERCISE 4(A)

1. Classify, each fraction given below, as decimal or vulgar fraction, proper or improper fraction and mixed fraction :

$$\text{(i) } \frac{3}{5} \quad \text{(ii) } \frac{11}{10} \quad \text{(iii) } \frac{13}{20} \quad \text{(iv) } \frac{18}{7} \quad \text{(v) } 3\frac{2}{9}$$

2. Express the following improper fractions as mixed fractions :

$$\text{(i) } \frac{18}{5} \quad \text{(ii) } \frac{7}{4} \quad \text{(iii) } \frac{25}{6} \quad \text{(iv) } \frac{38}{5} \quad \text{(v) } \frac{22}{5}$$

3. Express the following mixed fractions as improper fractions :

$$\text{(i) } 2\frac{4}{9} \quad \text{(ii) } 7\frac{5}{13} \quad \text{(iii) } 3\frac{1}{4} \quad \text{(iv) } 2\frac{5}{48} \quad \text{(v) } 12\frac{7}{11}$$

4. Reduce the given fractions to lowest terms :

$$\text{(i) } \frac{8}{18} \quad \text{(ii) } \frac{27}{36} \quad \text{(iii) } \frac{18}{42} \quad \text{(iv) } \frac{35}{75} \quad \text{(v) } \frac{18}{45}$$

5. State *true* or *false* :

(i) $\frac{30}{40}$ and $\frac{12}{16}$ are equivalent fractions.

(ii) $\frac{10}{25}$ and $\frac{25}{10}$ are equivalent fractions.

(iii) $\frac{35}{49}$, $\frac{20}{28}$, $\frac{45}{63}$ and $\frac{100}{140}$ are equivalent fractions.

6. Distinguish each of the following fractions, given below, as a *simple fraction* or a *complex fraction* :

(i) $\frac{0}{8}$

(ii) $\frac{-3}{-8}$

(iii) $\frac{5}{-7}$

(iv) $3\frac{3}{5}$
 $\frac{3}{18}$

(v) $\frac{-6}{2\frac{2}{5}}$

(vi) $3\frac{1}{3}$
 $\frac{3}{7\frac{2}{7}}$

(vii) $\frac{-5\frac{2}{9}}{5}$

(viii) $\frac{-8}{0}$

Remember : Each of the numbers of the form $\frac{5}{0}$, $\frac{-7}{0}$, $\frac{8}{0}$, etc., is neither a simple fraction nor a complex fraction; as the division by '0' is not defined.

4.6 LIKE AND UNLIKE FRACTIONS

Fractions having the *same denominators* are called *like fractions*; whereas the fractions *with different denominators* are called *unlike fractions*.

e.g. (i) $\frac{3}{8}$, $\frac{5}{8}$, $\frac{9}{8}$, etc., are *like fractions*.

(ii) $\frac{2}{7}$, $\frac{5}{9}$, $\frac{15}{23}$, $\frac{24}{37}$, etc., are *unlike fractions*.

4.7 CONVERTING UNLIKE FRACTIONS INTO LIKE FRACTIONS

- Steps :**
1. Find the L.C.M of the denominators of all given fractions.
 2. For each given fraction, multiply its denominator by a suitable number so that the product obtained is equal to the L.C.M. obtained in Step 1.
 3. Multiply the numerator also by the same number.

Example 3 :

Change $\frac{3}{4}$, $\frac{3}{5}$, $\frac{7}{8}$ and $\frac{9}{16}$ to like fractions.

Solution :

Since, L.C.M. of the denominators 4, 5, 8 and 16 is 80.

$$\therefore \frac{3}{4} = \frac{3 \times 20}{4 \times 20} = \frac{60}{80}; \quad \frac{3}{5} = \frac{3 \times 16}{5 \times 16} = \frac{48}{80}$$

$$\frac{7}{8} = \frac{7 \times 10}{8 \times 10} = \frac{70}{80}; \quad \frac{9}{16} = \frac{9 \times 5}{16 \times 5} = \frac{45}{80}$$

∴ Required like fractions are : $\frac{60}{80}, \frac{48}{80}, \frac{70}{80}$ and $\frac{45}{80}$ (Ans.)

4.8 COMPARING FRACTIONS

Steps : Convert all the given fractions into like fractions, then the fraction with the greater numerator is greater.

Example 4 :

Compare the fractions : $\frac{2}{3}, \frac{3}{4}, \frac{5}{12}$ and $\frac{9}{16}$.

Solution :

∴ L.C.M. of the denominators 3, 4, 12 and 16 = 48.

$$\begin{array}{lcl} \therefore \frac{2}{3} = \frac{2 \times 16}{3 \times 16} = \frac{32}{48} & ; & \frac{3}{4} = \frac{3 \times 12}{4 \times 12} = \frac{36}{48} \\ \frac{5}{12} = \frac{5 \times 4}{12 \times 4} = \frac{20}{48} & \text{and} & \frac{9}{16} = \frac{9 \times 3}{16 \times 3} = \frac{27}{48} \end{array} \quad \left. \begin{array}{l} \\ \\ \end{array} \right\} \begin{array}{l} \text{Converting into} \\ \text{like fractions} \end{array}$$

Since, the biggest numerator is 36, thus the biggest fraction is $\frac{36}{48}$ (i.e., $\frac{3}{4}$).

Next one is $\frac{32}{48}$ (i.e., $\frac{2}{3}$) and the smallest fraction is $\frac{20}{48}$ (i.e., $\frac{5}{12}$)

∴ Fractions in ascending order of values are : $\frac{5}{12}, \frac{9}{16}, \frac{2}{3}$ and $\frac{3}{4}$. (Ans.)

$$\text{i.e. } \frac{5}{12} < \frac{9}{16} < \frac{2}{3} < \frac{3}{4}$$

And, fractions in descending order of values are : $\frac{3}{4}, \frac{2}{3}, \frac{9}{16}$ and $\frac{5}{12}$. (Ans.)

$$\text{i.e. } \frac{3}{4} > \frac{2}{3} > \frac{9}{16} > \frac{5}{12}$$

Ascending means smaller to greater and **descending** means greater to smaller.

Alternate Method (By making numerators equal) :

- Steps :**
1. Convert all the given fractions into fractions of equal numerators.
 2. The fraction which has a smaller denominator is greater.

Example 5 :

Compare : $\frac{2}{3}, \frac{3}{4}, \frac{5}{12}$ and $\frac{9}{16}$ by making their numerators equal.

Solution :

Step 1 : Since, L.C.M. of numerators 2, 3, 5 and 9 is 90

$$\begin{array}{lcl} \therefore \frac{2}{3} = \frac{2 \times 45}{3 \times 45} = \frac{90}{135} & ; & \frac{3}{4} = \frac{3 \times 30}{4 \times 30} = \frac{90}{120} \\ \frac{5}{12} = \frac{5 \times 18}{12 \times 18} = \frac{90}{216} & \text{and} & \frac{9}{16} = \frac{9 \times 10}{16 \times 10} = \frac{90}{160} \end{array}$$

Step 2 : Since, $\frac{90}{120}$ has the smallest denominator, the biggest fraction is $\frac{90}{120}$ (i.e., $\frac{3}{4}$).

As, $\frac{90}{216}$ has the biggest denominator, the smallest fraction is $\frac{90}{216}$ (i.e., $\frac{5}{12}$).

$\therefore$ Fractions in ascending order are : $\frac{5}{12}, \frac{9}{16}, \frac{2}{3}$ and $\frac{3}{4}$. (Ans.)

And, in descending order they are : $\frac{3}{4}, \frac{2}{3}, \frac{9}{16}$ and $\frac{5}{12}$. (Ans.)

In order to compare two fractions, say : $\frac{a}{b}$ and $\frac{c}{d}$, find their cross-product, i.e., find $a \times d$ and $b \times c$. Then, if :

(i) $a \times d$ is greater than $b \times c \Rightarrow \frac{a}{b} > \frac{c}{d}$, (ii) $a \times d$ is less than $b \times c \Rightarrow \frac{a}{b} < \frac{c}{d}$,

(iii) $a \times d$ is equal to $b \times c \Rightarrow \frac{a}{b} = \frac{c}{d}$.

Example 6 :

Compare the fractions : $\frac{3}{13}$ and $\frac{7}{18}$.

Solution :

Taking the cross multiplication we get : $3 \times 18 = 54$ and $7 \times 13 = 91$

Since, 3×18 (i.e., 54) is smaller than 7×13 (i.e., 91) $\therefore \frac{3}{13} < \frac{7}{18}$ (Ans.)

4.9 TO INSERT A FRACTION BETWEEN TWO GIVEN FRACTIONS

Steps : Add numerators of the given fractions to get the numerator of required fraction. Similarly, add their denominators to get denominator of the required fraction. Then simplify, if required.

Example 7 :

Insert one fraction between :

(i) $\frac{1}{2}$ and $\frac{3}{5}$ (ii) 2 and $3\frac{1}{2}$

Solution :

(i) $\frac{1}{2}, \frac{3}{5} = \frac{1}{2}, \frac{1+3}{2+5}, \frac{3}{5}$ [Adding numerators and denominators]
 $= \frac{1}{2}, \frac{4}{7}, \frac{3}{5}$ (Ans.)

Thus, if $\frac{a}{b}$ and $\frac{c}{d}$ are two fractions then fraction $\frac{a+c}{b+d}$ lies between $\frac{a}{b}$ and $\frac{c}{d}$.

Also, 1. If $\frac{a}{b} > \frac{c}{d}$, then $\frac{a}{b} > \frac{a+c}{b+d} > \frac{c}{d}$. 2. If $\frac{a}{b} < \frac{c}{d}$, then $\frac{a}{b} < \frac{a+c}{b+d} < \frac{c}{d}$.

(ii) $2, 3\frac{1}{2} = \frac{2}{1}, \frac{7}{2} = \frac{2}{1}, \frac{2+7}{1+2}, \frac{7}{2} = 2, \frac{9}{3}, \frac{7}{2} = 2, 3, 3\frac{1}{2}$ (Ans.)

Example 8 :

Insert three fractions between $\frac{1}{2}$ and $\frac{3}{5}$.

Solution :

$$\frac{1}{2}, \frac{3}{5} = \frac{1}{2}, \frac{1+3}{2+5}, \frac{3}{5}$$

[Inserting one fraction between $\frac{1}{2}$ and $\frac{3}{5}$]

$$= \frac{1}{2}, \frac{4}{7}, \frac{3}{5}$$

$$= \frac{1}{2}, \frac{1+4}{2+7}, \frac{4}{7}, \frac{4+3}{7+5}, \frac{3}{5}$$

[Inserting one fraction between $\frac{1}{2}$ and $\frac{4}{7}$;

and one between $\frac{4}{7}$ and $\frac{3}{5}$]

$$= \frac{1}{2}, \frac{5}{9}, \frac{4}{7}, \frac{7}{12}, \frac{3}{5}$$

(Ans.)

EXERCISE 4(B)

1. For each pair, given below, state whether it forms *like fractions* or *unlike fractions* :

(i) $\frac{5}{8}$ and $\frac{7}{8}$

(ii) $\frac{8}{15}$ and $\frac{8}{21}$

(iii) $\frac{4}{9}$ and $\frac{9}{4}$

2. Convert given fractions into fractions with *equal denominators* :

(i) $\frac{5}{6}$ and $\frac{7}{9}$

(ii) $\frac{2}{3}$, $\frac{5}{6}$ and $\frac{7}{12}$

(iii) $\frac{4}{5}$, $\frac{17}{20}$, $\frac{23}{40}$ and $\frac{11}{16}$

3. Convert given fractions into fractions with *equal numerators* :

(i) $\frac{8}{9}$ and $\frac{12}{17}$

(ii) $\frac{6}{13}$, $\frac{15}{23}$ and $\frac{12}{17}$

(iii) $\frac{15}{19}$, $\frac{25}{28}$, $\frac{9}{11}$ and $\frac{45}{47}$

4. Put the given fractions in ascending order by making denominators equal :

(i) $\frac{1}{3}$, $\frac{2}{5}$, $\frac{3}{4}$ and $\frac{1}{6}$

(ii) $\frac{5}{6}$, $\frac{7}{8}$, $\frac{11}{12}$ and $\frac{3}{10}$

(iii) $\frac{5}{7}$, $\frac{3}{8}$, $\frac{9}{14}$ and $\frac{20}{21}$

5. Arrange the given fractions in descending order by making numerators equal :

(i) $\frac{5}{6}$, $\frac{4}{15}$, $\frac{8}{9}$ and $\frac{1}{3}$

(ii) $\frac{3}{7}$, $\frac{4}{9}$, $\frac{5}{7}$ and $\frac{8}{11}$

(iii) $\frac{1}{10}$, $\frac{6}{11}$, $\frac{8}{11}$ and $\frac{3}{5}$

6. Find the greater fraction :

(i) $\frac{3}{5}$ and $\frac{11}{15}$

(ii) $\frac{4}{5}$ and $\frac{3}{10}$

(iii) $\frac{6}{7}$ and $\frac{5}{9}$

7. Insert one fraction between :

(i) $\frac{3}{7}$ and $\frac{4}{9}$

(ii) 2 and $\frac{8}{3}$

(iii) $\frac{9}{17}$ and $\frac{6}{13}$

8. Insert three fractions between :

(i) $\frac{2}{5}$ and $\frac{4}{9}$

(ii) $\frac{1}{2}$ and $\frac{5}{7}$

(iii) $\frac{3}{8}$ and $\frac{6}{11}$

9. Insert two fractions between :

(i) 1 and $\frac{3}{11}$

(ii) $\frac{5}{9}$ and $\frac{1}{4}$

(iii) $\frac{5}{6}$ and $1\frac{1}{5}$

4.10 OPERATIONS ON FRACTIONS

1. Addition and Subtraction :

- (i) For like fractions, add or subtract (as required) their numerators, keeping the denominator same :

$$\therefore \frac{1}{8} + \frac{5}{8} = \frac{1+5}{8} = \frac{6}{8} = \frac{3}{4} \quad \text{and} \quad \frac{9}{10} - \frac{3}{10} = \frac{9-3}{10} = \frac{6}{10} = \frac{3}{5}$$

- (ii) For unlike fractions, first of all change given fractions into like fractions and then do the addition or subtraction as above :

$$\therefore \frac{5}{7} - \frac{1}{4} = \frac{5 \times 4}{7 \times 4} - \frac{1 \times 7}{4 \times 7} \quad [\text{L.C.M. of 7 and 4 is 28}]$$

$$= \frac{20}{28} - \frac{7}{28} = \frac{20-7}{28} = \frac{13}{28}$$

$$\text{or, simply : } \frac{5}{7} - \frac{1}{4} = \frac{5 \times 4 - 1 \times 7}{28} = \frac{20-7}{28} = \frac{13}{28}$$

$$\text{And, } \frac{3}{4} + \frac{2}{5} - \frac{1}{3} = \frac{3 \times 15}{4 \times 15} + \frac{2 \times 12}{5 \times 12} - \frac{1 \times 20}{3 \times 20} \quad [\text{L.C.M. of 4, 5 and 3 = 60}]$$

$$= \frac{45}{60} + \frac{24}{60} - \frac{20}{60} = \frac{45+24-20}{60} = \frac{49}{60}$$

$$\text{or, simply : } \frac{3}{4} + \frac{2}{5} - \frac{1}{3} = \frac{3 \times 15 + 2 \times 12 - 1 \times 20}{60}$$

$$= \frac{45 + 24 - 20}{60} = \frac{49}{60}$$

2. Multiplication :

- (i) To multiply a fraction with an integer, multiply its numerator with the integer.

$$\therefore 5 \times \frac{3}{8} = \frac{5 \times 3}{8} = \frac{15}{8} = 1\frac{7}{8} \quad \text{and} \quad \frac{4}{15} \times -7 = \frac{4 \times -7}{15} = \frac{-28}{15} = -1\frac{13}{15}$$

- (ii) To multiply two or more fractions, multiply their numerators together and their denominators separately together.

$$\therefore \frac{3}{5} \times \frac{2}{7} = \frac{3 \times 2}{5 \times 7} = \frac{6}{35} \quad \text{and} \quad \frac{3}{8} \times \frac{4}{5} \times \frac{2}{3} = \frac{3 \times 4 \times 2}{8 \times 5 \times 3} = \frac{1}{5}$$

3. Division :

To divide one quantity (fraction or integer) by some other quantity (fraction or integer), multiply the first by the reciprocal of the second.

$$\text{e.g. (i) } \frac{5}{8} \div 2 = \frac{5}{8} \times \frac{1}{2} = \frac{5}{16}$$

[Reciprocal of 2 is $\frac{1}{2}$]

$$\text{(ii) } 2 \div \frac{5}{8} = 2 \times \frac{8}{5} = \frac{16}{5} = 3\frac{1}{5}$$

[Reciprocal of $\frac{5}{8}$ is $\frac{8}{5}$]

$$\text{(iii) } \frac{7}{10} \div \frac{3}{4} = \frac{7}{10} \times \frac{4}{3} = \frac{28}{30} = \frac{14}{15} \quad \text{and so on.}$$

4.11 USING "OF"

The word "of" between any two fractions, is to be used as multiplication.

e.g. (i) $\frac{3}{16}$ of 2 = $\frac{3 \times 2}{16} = \frac{3}{8}$

(ii) $\frac{1}{3}$ of 18 kg = $\frac{1 \times 18}{3}$ kg = 6 kg

(iii) $\frac{3}{4}$ of ₹ 16 = ₹ $\frac{3 \times 16}{4}$ = ₹ 12 and so on.

4.12 USING "BODMAS" :

The word '**BODMAS**' is the abbreviation formed by taking the initial letters of six operations; '**B**racket', '**O**f', '**D**ivision', '**M**ultiplication', '**A**ddition' and '**S**ubtraction'.

According to the rule of BODMAS, working must be done in the order corresponding to the letters appearing in the word, *i.e.*, first of all the terms inside **B**racket must be simplified; then **O**f must be simplified and then **D**ivision, **M**ultiplication, **A**ddition and finally **S**ubtraction.

e.g. $\left(\frac{1}{3} + \frac{2}{9}\right)$ of $\frac{8}{15} \div \frac{4}{9} \times \frac{3}{4} - \frac{1}{2} + 1$

= $\left(\frac{3+2}{9}\right)$ of $\frac{8}{15} \div \frac{4}{9} \times \frac{3}{4} - \frac{1}{2} + 1$ **First step (B) : Simplifying the Bracket.**

= $\frac{5}{9}$ of $\frac{8}{15} \div \frac{4}{9} \times \frac{3}{4} - \frac{1}{2} + 1$ **Second step (O) : Removal of 'Of'**

= $\frac{8}{27} \times \frac{9}{4} \times \frac{3}{4} - \frac{1}{2} + 1$ **Third step (D) : Division, *i.e.*, multiply by reciprocal.**

= $\frac{8 \times 9 \times 3}{27 \times 4 \times 4} - \frac{1}{2} + 1$ **Fourth step (M) : Multiplication.**

= $\frac{1}{2} - \frac{1}{2} + 1$ **Fifth step : A and S**

= 1

(Ans.)

Example 9 :

Evaluate :

(i) $2\frac{1}{4} \div \frac{5}{7} \times 1\frac{1}{3}$

(ii) $\frac{1}{4}$ of $2\frac{2}{7} \div \frac{4}{15}$

Solution :

If required, convert the mixed fraction / fractions into improper fraction / fractions, then apply BODMAS and simplify.

(i) $2\frac{1}{4} \div \frac{5}{7} \times 1\frac{1}{3} = \frac{9}{4} \div \frac{5}{7} \times \frac{4}{3}$

= $\frac{9}{4} \times \frac{7}{5} \times \frac{4}{3} = \frac{9 \times 7 \times 4}{4 \times 5 \times 3} = \frac{21}{5} = 4\frac{1}{5}$

(Ans.)

$$\begin{aligned}
 \text{(ii)} \quad \frac{1}{4} \text{ of } 2\frac{2}{7} \div \frac{4}{15} &= \frac{1}{4} \text{ of } \frac{16}{7} \div \frac{4}{15} \\
 &= \frac{4}{7} \div \frac{4}{15} \\
 &= \frac{4}{7} \times \frac{15}{4} = \frac{15}{7} = 2\frac{1}{7}
 \end{aligned}$$

$$\left[\because \frac{1}{4} \text{ of } \frac{16}{7} = \frac{1}{4} \times \frac{16}{7} = \frac{4}{7} \right]$$

(Ans.)

Example 10 :

Evaluate :

$$\text{(i)} \quad \frac{4}{5} \div \frac{7}{15} \text{ of } \frac{8}{9}$$

$$\text{(ii)} \quad \frac{4}{5} \div \frac{7}{15} \times \frac{8}{9}$$

$$\text{(iii)} \quad \frac{5}{6} \text{ of } \frac{5}{13} \div \frac{15}{16} \times 1\frac{1}{2}$$

Solution :

Remember : BODMAS

$$\begin{aligned}
 \text{(i)} \quad \frac{4}{5} \div \frac{7}{15} \text{ of } \frac{8}{9} &= \frac{4}{5} \div \frac{56}{135} \\
 &= \frac{4}{5} \times \frac{135}{56} = \frac{27}{14} = 1\frac{13}{14}
 \end{aligned}$$

$$\left[\frac{7}{15} \text{ of } \frac{8}{9} = \frac{56}{135} \right]$$

(Ans.)

$$\text{(ii)} \quad \frac{4}{5} \div \frac{7}{15} \times \frac{8}{9} = \frac{4}{5} \times \frac{15}{7} \times \frac{8}{9}$$

[Division (+) first]

$$= \frac{4 \times 15 \times 8}{5 \times 7 \times 9} = \frac{32}{21} = 1\frac{11}{21}$$

(Ans.)

$$\text{(iii)} \quad \frac{5}{6} \text{ of } \frac{5}{13} \div \frac{15}{16} \times 1\frac{1}{2} = \frac{25}{78} \div \frac{15}{16} \times \frac{3}{2}$$

$$= \frac{25}{78} \times \frac{16}{15} \times \frac{3}{2} = \frac{25 \times 16 \times 3}{78 \times 15 \times 2} = \frac{20}{39}$$

(Ans.)

EXERCISE 4(C)

1. Reduce to a single fraction :

$$\text{(i)} \quad \frac{1}{2} + \frac{2}{3}$$

$$\text{(ii)} \quad \frac{3}{5} - \frac{1}{10}$$

$$\text{(iii)} \quad \frac{2}{3} - \frac{1}{6}$$

$$\text{(iv)} \quad 1\frac{1}{3} + 2\frac{1}{4}$$

$$\text{(v)} \quad \frac{1}{4} + \frac{5}{6} - \frac{1}{12}$$

$$\text{(vi)} \quad \frac{2}{3} - \frac{3}{5} + 3 - \frac{1}{5}$$

$$\text{(vii)} \quad \frac{2}{3} - \frac{1}{5} + \frac{1}{10}$$

$$\text{(viii)} \quad 2\frac{1}{2} + 2\frac{1}{3} - 1\frac{1}{4}$$

$$\text{(ix)} \quad 2\frac{5}{8} - 2\frac{1}{6} + 4\frac{3}{4}$$

2. Simplify :

$$\text{(i)} \quad \frac{3}{4} \times 6$$

$$\text{(ii)} \quad \frac{2}{3} \times 15$$

$$\text{(iii)} \quad \frac{3}{4} \times \frac{1}{2}$$

$$\text{(iv)} \quad \frac{9}{12} \times \frac{4}{7}$$

$$\text{(v)} \quad 45 \times 2\frac{1}{3}$$

$$\text{(vi)} \quad 36 \times 3\frac{1}{4}$$

$$\text{(vii)} \quad 2 \div \frac{1}{3}$$

$$\text{(viii)} \quad 3 \div \frac{2}{5}$$

$$\text{(ix)} \quad 1 \div \frac{3}{5}$$

(x) $\frac{1}{3} \div \frac{1}{4}$

(xi) $-\frac{5}{8} \div \frac{3}{4}$

(xii) $3\frac{3}{7} \div 1\frac{1}{14}$

(xiii) $3\frac{3}{4} \times 1\frac{1}{5} \times \frac{20}{21}$

3. Subtract :

(i) 2 from $\frac{2}{3}$

(ii) $\frac{1}{8}$ from $\frac{5}{8}$

(iii) $-\frac{2}{5}$ from $\frac{2}{5}$

(iv) $-\frac{3}{7}$ from $\frac{3}{7}$

(v) 0 from $-\frac{4}{5}$

(vi) $\frac{2}{9}$ from $\frac{4}{5}$

(vii) $-\frac{4}{7}$ from $-\frac{6}{11}$

4. Find the value of :

(i) $\frac{1}{2}$ of 10 kg

(ii) $\frac{3}{5}$ of 1 hour

(iii) $\frac{4}{7}$ of $2\frac{1}{3}$ kg

(iv) $3\frac{1}{2}$ times of 2 metre

(v) $\frac{1}{2}$ of $2\frac{2}{3}$

(vi) $\frac{5}{11}$ of $\frac{4}{5}$ of 22 kg

5. Simplify and reduce to a simple fraction :

(i) $\frac{3}{3\frac{3}{4}}$

(ii) $\frac{\frac{3}{5}}{7}$

(iii) $\frac{3}{\frac{5}{7}}$

(iv) $\frac{2\frac{1}{5}}{1\frac{1}{10}}$

(v) $\frac{2}{5}$ of $\frac{6}{11} \times 1\frac{1}{4}$

(vi) $2\frac{1}{4} \div \frac{1}{7} \times \frac{1}{3}$

(vii) $\frac{1}{3} \times 4\frac{2}{3} \div 3\frac{1}{2} \times \frac{1}{2}$

(viii) $\frac{2}{3} \times 1\frac{1}{4} \div \frac{3}{7}$ of $2\frac{5}{8}$

(ix) $0 \div \frac{8}{11}$

(x) $\frac{4}{5} \div \frac{7}{15}$ of $\frac{8}{9}$

(xi) $\frac{4}{5} \div \frac{7}{15} \times \frac{8}{9}$

(xii) $\frac{4}{5}$ of $\frac{7}{15} \div \frac{8}{9}$

(xiii) $\frac{1}{2}$ of $\frac{3}{4} \times \frac{1}{2} \div \frac{2}{3}$

4.13 USING BRACKETS

The types of brackets used, in general, are :

- (i) () is known as *Circular bracket* or *Parenthesis* or *simply bracket*.
- (ii) { } is known as *Curly bracket*.
- (iii) [] is known as *Square bracket* or *Box bracket*.

Sometimes a **bar** is drawn above some terms which we want to treat as a single quantity.

e.g., (i) $\overline{4 + 5}$ means $(4 + 5) = 9$

(ii) $8 - \overline{3 + 2} = 8 - 5 = 3$

(iii) $3 + \overline{8 - 6} = 3 + 2 = 5$ and so on.

This "—" is known as **Bar bracket** or **Veniculum**.**Note :** Multiplication sign is often omitted before a bracket and between the brackets.

e.g., (i) $4(9 - 3) = 4 \times (9 - 3) = 4 \times 6 = 24$

(ii) $(2 + 8)(7 - 3) = (2 + 8) \times (7 - 3) = 10 \times 4 = 40$

4.14 REMOVAL OF BRACKETS

The brackets are removed in the order given below :

(ii) —; bar or vinculum,

(ii) (); parenthesis,

(iii) { }; curly bracket,

(iv) []; square bracket.

Example 11 :

Simplify : $10\frac{1}{2} - \left[8\frac{1}{2} + \{6 - (7 - \overline{6 - 4})\} \right]$

Solution :

$$= 10\frac{1}{2} - \left[8\frac{1}{2} + \{6 - (7 - 2)\} \right] \quad [\because \overline{6 - 4} = 2]$$

$$= 10\frac{1}{2} - \left[8\frac{1}{2} + \{6 - 5\} \right] \quad [\because (7 - 2) = 5]$$

$$= 10\frac{1}{2} - \left[8\frac{1}{2} + 1 \right] \quad [\because \{6 - 5\} = 1]$$

$$= 10\frac{1}{2} - 9\frac{1}{2} \quad [\because 8\frac{1}{2} + 1 = 9\frac{1}{2}]$$

$$= 1$$

(Ans.)

1. Whenever there is a positive (+) sign before a bracket, the bracket is removed without any change in the signs of its terms.

e.g., $8 + (3 - 1 + 5) = 8 + 3 - 1 + 5 = 16 - 1 = 15$

2. Whenever there is a negative (−) sign before a bracket, the bracket is removed by changing the signs of all the terms inside the bracket (i.e., by changing every positive sign into negative and every negative sign into positive)

e.g., $8 - (3 - 1 + 5) = 8 - 3 + 1 - 5 = 9 - 8 = 1$

EXERCISE 4(D)

Simplify :

1. $6 + \left\{ \frac{4}{3} + \left(\frac{3}{4} - \frac{1}{3} \right) \right\}$

2. $8 - \left\{ \frac{3}{2} + \left(\frac{3}{5} - \frac{1}{2} \right) \right\}$

3. $\frac{1}{4} \left(\frac{1}{4} + \frac{1}{3} \right) - \frac{2}{5}$

4. $2\frac{3}{4} - \left[3\frac{1}{8} \div \left\{ 5 - \left(4\frac{2}{3} - \frac{11}{12} \right) \right\} \right]$

5. $12\frac{1}{2} - \left[8\frac{1}{2} + \{9 - (5 - \overline{3 - 2})\} \right]$

6. $1\frac{1}{5} \div \left\{ 2\frac{1}{3} - (5 + \overline{2 - 3}) \right\} - 3\frac{1}{2}$

7. $\left(\frac{1}{2} + \frac{2}{3} \right) \div \left(\frac{3}{4} - \frac{2}{9} \right)$

8. $\frac{6}{5}$ of $\left(3\frac{1}{3} - 2\frac{1}{2} \right) \div \left(2\frac{5}{21} - 2 \right)$

9. $10\frac{1}{8}$ of $\frac{4}{5} \div \frac{35}{36}$ of $\frac{20}{49}$

10. $5\frac{3}{4} - \frac{3}{7} \times 15\frac{3}{4} + 2\frac{2}{35} \div 1\frac{11}{25}$

11. $\frac{3}{4}$ of $7\frac{3}{7} - 5\frac{3}{5} \div 3\frac{4}{15}$

4.15 PROBLEMS INVOLVING FRACTIONS

Example 12 :

What fraction is 6 bananas of four dozen bananas ?

Solution :

Here 6 bananas are to be compared with 4 dozens i.e., $4 \times 12 = 48$ bananas.

$$\therefore \text{Required fraction} = \frac{6}{48} = \frac{1}{8} \quad (\text{Ans.})$$

Example 13 :

Write all the natural numbers that lie between 5 and 15.

- (i) How many of these natural numbers are odd ?
- (ii) What fraction of these natural numbers are even ?

Solution :

Since, natural numbers between 5 and 15 are : 6, 7, 8, 9, 10, 11, 12, 13 and 14.

$\therefore$ There are 9 natural numbers between 5 and 15. (Ans.)

- (i) Out of these natural numbers, odd natural numbers are : 7, 9, 11 and 13.

$\therefore$ There are 4 odd natural numbers between 5 and 15. (Ans.)

- (ii) Out of all the given 9 natural numbers, 4 are odd.

$\therefore$ Remaining $9 - 4 = 5$ numbers are even.

So, the required fraction = $\frac{5}{9}$ (Ans.)

Example 14 :

The monthly income of a man is ₹ 18,000. He gives one-third of it to his wife and one-third of the remaining he spends on his children's education. Find :

- (i) the money he gave to his wife.
- (ii) the money he spends on his children's education.
- (iii) the money still left with him.

Solution :

(i) The man gives to his wife = $\frac{1}{3}$ of ₹ 18,000

$$= \frac{1}{3} \times ₹ 18,000 = ₹ 6,000 \quad (\text{Ans.})$$

(ii) Since, remaining money = ₹ 18,000 – ₹ 6,000 = ₹ 12,000

He spends on his children's education = $\frac{1}{3} \times ₹ 12,000 = \frac{1}{3} \times ₹ 12,000 = ₹ 4,000$ (Ans.)

- (iii) The money still left with the man

$$= ₹ 12,000 - ₹ 4,000 = ₹ 8,000 \quad (\text{Ans.})$$

Example 15 :

Subtract the sum of $\frac{1}{4}$ and $\frac{3}{8}$ from the sum of $\frac{2}{3}$, $\frac{3}{4}$ and $\frac{7}{12}$.

Solution :

$$\therefore \text{Sum of } \frac{1}{4} \text{ and } \frac{3}{8} = \frac{1}{4} + \frac{3}{8} = \frac{2+3}{8} = \frac{5}{8}$$

$$\text{And, sum of } \frac{2}{3}, \frac{3}{4} \text{ and } \frac{7}{12} = \frac{2}{3} + \frac{3}{4} + \frac{7}{12} = \frac{8+9+7}{12} = \frac{24}{12} = 2$$

$$\therefore \text{Required number} = 2 - \frac{5}{8} = \frac{2}{1} - \frac{5}{8} = \frac{16-5}{8} = \frac{11}{8} = 1\frac{3}{8} \quad (\text{Ans.})$$

$$\begin{aligned} \text{or, directly, } \left(\frac{2}{3} + \frac{3}{4} + \frac{7}{12} \right) - \left(\frac{1}{4} + \frac{3}{8} \right) &= \left(\frac{8+9+7}{12} \right) - \left(\frac{2+3}{8} \right) \\ &= \frac{24}{12} - \frac{5}{8} \\ &= \frac{48-15}{24} = \frac{33}{24} = \frac{11}{8} = 1\frac{3}{8} \quad (\text{Ans.}) \end{aligned}$$

Example 16 :

A man spent $\frac{2}{7}$ of his savings and still has ₹ 1,000 left with him. How much were his savings ?

Solution :

The man spent $\frac{2}{7}$ of his money.

$$\therefore \text{He still has } 1 - \frac{2}{7} = \frac{5}{7} \text{ of his savings}$$

Note : In fractions, the whole quantity is always taken as 1.

$$\text{Since, } \frac{5}{7} \text{ of his savings} = ₹ 1,000$$

$$\therefore \text{His savings} = ₹ 1,000 \div \frac{5}{7} = ₹ 1,000 \times \frac{7}{5} = ₹ 1,400 \quad (\text{Ans.})$$

Example 17 :

$\frac{4}{7}$ of a pole is in the mud. When $\frac{1}{3}$ of it is pulled out, 250 cm of the pole is still in the mud. What is the full length of the pole ?

Solution :

$$\frac{4}{7} \text{ of the pole} - \frac{1}{3} \text{ of the pole} = 250 \text{ cm}$$

$$\Rightarrow \left(\frac{4}{7} - \frac{1}{3} \right) \text{ of the pole} = 250 \text{ cm}$$

$$\Rightarrow \frac{5}{21} \text{ of the pole} = 250 \text{ cm}$$

$$\left[\frac{4}{7} - \frac{1}{3} = \frac{12-7}{21} = \frac{5}{21} \right]$$

$$\Rightarrow \text{Length of the pole} = 250 \times \frac{21}{5} \text{ cm} = 1050 \text{ cm} \quad (\text{Ans.})$$

EXERCISE 4(E)

1. A line AB is of length 6 cm. Another line CD is of length 15 cm. What fraction is :
 - (i) the length of AB to that of CD ?
 - (ii) $\frac{1}{2}$ the length of AB to that of $\frac{1}{3}$ of CD ?
 - (iii) $\frac{1}{5}$ of CD to that of AB ?
2. Subtract $\left(\frac{2}{7} - \frac{5}{21}\right)$ from the sum of $\frac{3}{4}$, $\frac{5}{7}$ and $\frac{7}{12}$.
3. From a sack of potatoes weighing 120 kg, a merchant sells portions weighing 6 kg, $5\frac{1}{4}$ kg, $9\frac{1}{2}$ kg and $9\frac{3}{4}$ kg respectively.
 - (i) How many kg did he sell ?
 - (ii) How many kg are still left in the sack ?
4. If a boy works for six consecutive days for 8 hours, $7\frac{1}{2}$ hours, $8\frac{1}{4}$ hours, $6\frac{1}{4}$ hours, $6\frac{3}{4}$ hours and 7 hours respectively. How much money will he earn at the rate of ₹ 36 per hour ?
5. A student bought $4\frac{1}{3}$ m of yellow ribbon, $6\frac{1}{6}$ m of red ribbon and $3\frac{2}{9}$ m of blue ribbon for decorating a room. How many metres of ribbon did he buy ?
6. In a business, Ram and Deepak invest $\frac{3}{5}$ and $\frac{2}{5}$ of the total investment. If ₹ 40,000 is the total investment, calculate the amount invested by each.
7. Geeta had 30 problems for home work. She worked out $\frac{2}{3}$ of them. How many problems were still left to be worked out by her ?
8. A picture was marked at ₹ 90. It was sold at $\frac{3}{4}$ of its marked price. What was the sale price ?
9. Mani had sent fifteen parcels of oranges. What was the total weight of the parcels, if each weighed $10\frac{1}{2}$ kg ?
10. A rope is $25\frac{1}{2}$ m long. How many pieces each of $1\frac{1}{2}$ m length can be cut out from it ?
11. The heights of two vertical poles, above the earth's surface, are $14\frac{1}{4}$ m and $22\frac{1}{3}$ m respectively. How much higher is the second pole as compared with the height of the first pole ?
12. Vijay weighed $65\frac{1}{2}$ kg. He gained $1\frac{2}{5}$ kg during the first week, $1\frac{1}{4}$ kg during the second week, but lost $\frac{5}{16}$ kg during the third week. What was his weight after the third week ?

13. A man spends $\frac{2}{5}$ of his salary on food and $\frac{3}{10}$ on house rent, electricity, etc.
What fraction of his salary is still left with him ?
14. A man spends $\frac{2}{5}$ of his salary on food and $\frac{3}{10}$ of the remaining on house rent, electricity, etc. What fraction of his salary is still left with him ?
15. Shyam bought a refrigerator for ₹ 5,000. He paid $\frac{1}{10}$ of the price in cash and the rest in 12 equal monthly instalments. How much had he to pay each month ?
16. A lamp post has half of its length in mud and $\frac{1}{3}$ of its length in water.
(i) What fraction of its length is above the water ?
(ii) If $3\frac{1}{3}$ m of the lamp post is above the water, find the whole length of the lamp post.
17. I spent $\frac{3}{5}$ of my savings and still have ₹ 2,000 left. What were my savings ?
18. In a school; $\frac{4}{5}$ of the children are boys. If the number of girls is 200, find the number of boys.
19. If $\frac{4}{5}$ of an estate is worth ₹ 42,000, find the worth of whole estate.
Also, find the value of $\frac{3}{7}$ of it.
20. After going $\frac{3}{4}$ of my journey, I find that I have covered 16 km. How much journey is still left ?
21. When Krishna travelled 25 km, he found that $\frac{3}{5}$ of his journey was still left. What was the length of the whole journey.
-