10

Isosceles Triangles

10.1 INTRODUCTION

- 1. A triangle, with atleast two sides equal to each other, is called an isosceles triangle.
- 2. If all the sides of a triangle are equal to each other, it is called an equilateral triangle.
- 3. An equilateral triangle satisfies all the properties of an isosceles triangle, whereas it is not necessary for an isosceles triangle to satisfy all the properties of an equilateral triangle.

Theorem 1

If two sides of a triangle are equal, the angles opposite to them are also equal.

Given: A triangle ABC in which AB = AC.

To Prove : $\angle B = \angle C$.

Construction: Draw AD perpendicular to BC.

Proof:

Statement : Reason :

In triangles ABD and ACD:

 $1. \qquad AB = AC$

Given

2. AD = AD

Common

3. $\angle ADB = \angle ADC$

Each 90°, since AD \perp BC

 $\therefore \triangle ABD \cong \triangle ACD$

R.H.S.

 \Rightarrow $\angle B = \angle C$

Corresponding parts of congruent triangles are congruent.

Hence Proved.

Theorem 2

If two angles of a triangle are equal, the sides opposite to them are also equal.

Given: A triangle ABC in which $\angle B = \angle C$.

To Prove: AB = AC.

Construction: Draw AD perpendicular to BC.

Proof:

Statement : Reason :

In triangles ABD and ACD:

1. $\angle B = \angle C$

Given

2. $\angle ADB = \angle ADC = 90^{\circ}$

AD \(\text{BC} \)

AD = AD

Common A.A.S.


 $\therefore \triangle ABD \cong \triangle ACD$ $\Rightarrow AB = AC$

Corresponding parts of congruent triangles are congruent.

Hence Proved.

Prove the following:

- 1. The bisector of the angle at the vertex of an isosceles triangle bisects the base at right angles.
- 2. If equal sides of an isosceles triangle are produced, the exterior angles so formed are equal.
- 3. The perpendicular bisector of the base of an isosceles triangle passes through the vertex of the triangle.
- 4. The line, joining the mid-point of the base of an isosceles triangle and the opposite vertex, is perpendicular to the base and bisects the angle at the vertex.



Solution:

(i) Since, AB is parallel to CD and AD is transversal

 $a = 36^{\circ}$ [Alternate angles] Ans.

In ΔCDE,

Ext.
$$\angle$$
CEA = the sum of two interior opposite angles
= $32^{\circ} + 36^{\circ} = 68^{\circ}$

Now, in $\triangle CEA$, CE = CA

$$\Rightarrow \qquad b = \angle CEA = 68^{\circ}$$
 Ans.

In $\triangle ACE$, $b + c + \angle CEA = 180^{\circ}$

$$\Rightarrow 68^{\circ} + c + 68^{\circ} = 180^{\circ}$$

$$c = 180^{\circ} - 136^{\circ} = 44^{\circ}$$
 Ans.

(ii) In
$$\triangle ABC$$
, $AB = AC \Rightarrow \angle ACB = \angle ABC = 80^{\circ}$

And,
$$a + \angle ACB + \angle ABC = 180^{\circ}$$

$$\Rightarrow \qquad a + 80^{\circ} + 80^{\circ} = 180^{\circ} \Rightarrow a = 20^{\circ}$$

 $\Rightarrow a = 20^{\circ}$ Ans.

Ans.

AC bisects angle A;
$$b = a = 20^{\circ}$$

 $b = a = 20^{\circ}$ Ans.

In $\triangle ADC$, AD = DC


$$\Rightarrow$$
 $\angle ACD = b = 20^{\circ}$

And,
$$b + c + \angle ACD = 180^{\circ}$$

$$\Rightarrow$$
 20° + c + 20° = 180°

$$c = 140^{\circ}$$

2 In the adjoining figure, AB = BC and AC = CD. Prove that : $\angle BAD$: $\angle ADB = 3$: 1.



Solution:

Let
$$\angle ADB = x$$

In
$$\triangle ACD$$
, $AC = CD$

$$\angle CAD = \angle CDA = x$$

and, ext.
$$\angle ACB = \angle CAD + \angle CDA$$

$$= x + x = 2x$$

In
$$\triangle ABC$$
, $AB = BC$


$$\Rightarrow$$
 $\angle BAC = \angle ACB = 2x$.

$$\angle BAD = \angle BAC + \angle CAD$$

$$= 2x + x = 3x$$

And,
$$\frac{\angle BAD}{\angle ADB} = \frac{3x}{x} = \frac{3x}{x}$$


i.e.
$$\angle BAD : \angle ADB = 3 : 1$$
.



Hence Proved.

In the given figure, AD is perpendicular to BC and EF both. If ∠EAB = ∠FAC, show that triangles ABD and ACD are congruent.

Also, find the values of x and y if AB = 2x + 3, AC = 3y + 1, BD = x and DC = y + 1.



Solution:

AD is perpendicular to EF

$$\Rightarrow$$
 $\angle EAD = \angle FAD = 90^{\circ}$

Given:
$$\angle EAB = \angle FAC$$

$$\Rightarrow$$
 $\angle EAD - \angle EAB = \angle FAD - \angle FAC$

In
$$\triangle$$
 ABD and \triangle ACD, \angle BAD = \angle CAD [Proved above]

$$\angle ADB = \angle ADC = 90^{\circ}$$
 [Given AD \perp BC]

and
$$AD = AD$$


$$\therefore \Delta ABD \cong \Delta ACD$$
 [By ASA]

Hence Proved.

$$\triangle$$
 ABD \cong \triangle ACD \Rightarrow AB = AC and BD = CD [By C.P.C.T.C.]
 \Rightarrow $2x + 3 = 3y + 1$ and $x = y + 1$
 \Rightarrow $2x - 3y = -2$ and $x - y = 1$

$$\Rightarrow 2x - 3y = -2 \qquad \text{and } x - y = 1$$
On solving, we get: $x = 5$ and $y = 4$

4 In the given figure, D and E are mid-points of equal sides AB and AC respectively of triangle ABC. Prove that BE = CD.



Solution:

In \triangle ABE and \triangle ACD,

$$AB = AC$$
 [Given]

$$\Rightarrow \frac{AB}{2} = \frac{AC}{2}$$

$$\Rightarrow \qquad \qquad AD = AE$$

and,
$$\angle A = \angle A$$
 [Common]

$$\therefore \qquad \Delta \text{ ABE } \cong \Delta \text{ ACD} \qquad \text{[By S.A.S.]}$$

$$\Rightarrow \qquad \mathbf{BE} = \mathbf{CD} \qquad [\mathbf{By C.P.C.T.C.}]$$

Hence proved.

Alternative method:

In \triangle BCD and \triangle CBE,

BD =
$$\frac{1}{2}$$
AB and CE = $\frac{1}{2}$ AC

But
$$AB = AC$$
 [Given]

$$\Rightarrow$$
 BD = CE(i)

$$AB = AC$$

i.e.
$$\angle DBC = \angle ECB$$
(ii)


(i), (ii) and (iii)

$$\Rightarrow \qquad \Delta \text{ BCD } \cong \Delta \text{ CBE} \qquad \text{[By S.A.S.]}$$

$$\Rightarrow \qquad \mathbf{BE} = \mathbf{CD} \qquad [By C.P.C.T.C.]$$

Hence Proved.

5 Use the information; given in the adjoining figure, to find the measures of angles represented by letters a, b, c and d. Given DBCEF is a straight line.



Solution:

In A ABC,

$$AB = AC \implies \angle ABC = \angle ACB = 70^{\circ}$$

[Angles opposite to equal sides]

Also, $\angle BAC + \angle ABC + \angle ACB = 180^{\circ}$

$$a + 70^{\circ} + 70^{\circ} = 180^{\circ}$$

$$\Rightarrow$$

$$a = 40^{\circ}$$

$$\angle ACB + b = 180^{\circ}$$

[BCE is a straight line]

$$\Rightarrow$$

$$70^{\circ} + b = 180^{\circ}$$
 and $b = 180^{\circ} - 70^{\circ} = 110^{\circ}$

In A ABD,

$$70^{\circ} = 48^{\circ} + c$$
 [Ext. angle of a $\Delta = \text{sum of int. opp. } \angle s$]

$$\Rightarrow$$

$$c = 70^{\circ} - 48^{\circ} = 22^{\circ}$$

In A ACE.

$$b + d = 130^{\circ}$$
 [Ext. angle of a $\Delta = \text{sum of int. opp. } \angle s$]

$$110^{\circ} + d = 130^{\circ}$$
 and $d = 20^{\circ}$

$$a = 40^{\circ}$$
, $b = 110^{\circ}$, $c = 22^{\circ}$ and $d = 20^{\circ}$

Ans.

EXERCISE 10(A)

1. In the figure alongside,




$$\angle A = 48^{\circ}$$
 and

$$\angle ACD = 18^{\circ}$$
.


Show that : BC = CD.

B

- 2. Calculate:
 - (i) ∠ADC
 - (ii) ∠ABC
 - (iii) ∠BAC




- 3. In the following figure, AB = AC; BC = CD and DE is parallel to BC. Calculate:
 - (i) ∠CDE
 - (ii) ∠DCE




4. Calculate x:

(i)




(ii)




5. In the figure, given below, AB = AC.

Prove that : $\angle BOC = \angle ACD$.



- 6. In the figure given below, LM = LN; angle PLN = 110°. Calculate:
 - (i) ∠LMN
 - (ii) ∠MLN




7. An isosceles triangle ABC has AC = BC. CD bisects AB at D and ∠CAB = 55°.


Find: (i) ∠DCB

(ii) ∠CBD.


8. Find *x* :




9. In the triangle ABC, BD bisects angle B and is perpendicular to AC. If the lengths of the sides of the triangle are expressed in terms of x and y as shown, find the values of x and y.



10. In the given figure; AE // BD, AC // ED and AB = AC. Find $\angle a$, $\angle b$ and $\angle c$.




11. In the following figure; AC = CD, AD = BD and \angle C = 58°.




Find angle CAB.

- 12. In the figure of Q. no. 11, given above, if AC = AD = CD = BD; find angle ABC.
- 13. In triangle ABC; AB = AC and \angle A : \angle B = 8 : 5; find angle A.
- 14. In triangle ABC; ∠A = 60°, ∠C = 40° and bisector of angle ABC meets side AC at point P. Show that BP = CP.
- 15. In triangle ABC; angle ABC = 90° and P is a point on AC such that $\angle PBC = \angle PCB$. Show that : PA = PB.
- 16. ABC is an equilateral triangle. Its side BC is produced upto point E such that C is midpoint of BE. Calculate the measure of angles ACE and AEC.
- 17. In triangle ABC, D is a point in AB such that AC = CD = DB. If ∠B = 28°, find the angle ACD.
- 18. In the given figure, AD = AB = AC, BD is parallel to CA and angle ACB = 65°. Find angle DAC.



6 In the given figure, AB = AC, BO bisects angle ABC and CO bisects angle ACB, prove that AO bisects angle BAC.



Solution:

Since, BO bisects angle ABC

$$\Rightarrow$$
 $\angle OBC = \angle OBA = \frac{1}{2} \angle ABC$

....I

Since, CO bisects angle ACB

$$\Rightarrow$$
 $\angle OCB = \angle OCA = \frac{1}{2} \angle ACB$

....П

 $AB = AC \implies \angle ABC = \angle ACB$

..III [Angles opp. to equal sides are equal]

Combining I, II and III, we get:

$$\angle OBC = \angle OBA = \angle OCB = \angle OCA$$

...IV

In A BOC.

[From equation IV]

$$\Rightarrow$$
 OB = OC

[Sides opp. to equal angles are equal]

$$\angle OBA = \angle OCA$$

[From eq. (IV)]

and.

$$AB = AC$$

[Given]

 \Rightarrow \triangle AOB \cong \triangle AOC

[By S.A.S.]

⇒ ∠OAB = ∠OAC

[By C.P.C.T.C.]


⇒ AO bisects angle BAC

Hence Proved



In the figure, given alongside, DE is parallel to BC.

Prove that : DE = BD + CE.



Solution:

Since, BP bisects angle B

....I

DE is parallel to BC and BP is transversal,

.....II [Alternate angles]

 \Rightarrow

$$\angle DBP = \angle DPB$$

[From I and II]

 \Rightarrow

$$DP = BD$$

....Ш

In the same way, $\angle PCB = \angle PCE$ and $\angle EPC = \angle PCB$

 \Rightarrow

$$\angle PCE = \angle EPC$$
 and so $PE = CE$...

Adding III and IV, we get:

$$DP + PE = BD + CE \Rightarrow DE = BD + CE$$
.

Hence Proved.



ABC and DBC are two isosceles triangles on opposite sides of BC. Prove that:

(i) DA bisects BC at right angle

(ii) ∠ABD = ∠ACD

Solution:

According to the given statement, the figure will be as shown alongside:

(i) Join AD which meets BC at point P.

To Prove: DA bisects BC at right angles


i.e., BP = CP and \angle APB = 90°

Proof:

In AABD and AACD

AB = AC and DB = DC

[Given]



∴
$$\triangle ABD \cong \triangle ACD$$
 [By S.S.S.]
⇒ $\angle BAD = \angle CAD$ [C.P.C.T.C]
i.e. $\angle BAP = \angle CAP$

Now, in AABP and AACP

AB = AC and AP = AP [Common]
and, ∠BAP = ∠CAP [Proved above]
∴
$$\triangle$$
ABP \cong △ACP [By S.A.S.]
⇒ BP = CP and ∠APB = ∠APC [C.P.C.T.C.]

Since, $\angle APB = \angle APC$ and $\angle APB + \angle APC = 180^{\circ}$

$$\Rightarrow \qquad \angle APB = \angle APC = \frac{180^{\circ}}{2} = 90^{\circ}$$

$$\therefore BP = CP \text{ and } \angle APB = 90^{\circ}$$


⇒ DA bisects BC at right angles.


Hence Proved.

(ii)
$$\Delta ABD \cong \Delta ACD$$

$$\Rightarrow \qquad \angle ABD = \angle ACD \qquad [C.P.C.T.C]$$

Hence Proved.





Solution:

. ⇒

In
$$\triangle ABC$$
, $AB = AC$

$$\angle ABC = \angle ACB$$
and, ext. $\angle CAE = \angle ABC + \angle ACB$

$$= \angle ABC + \angle ABC$$

$$= 2\angle ABC \qquad \dots I$$

∴ AD bisects ∠CAE,

$$\angle EAD = \angle CAD = \frac{1}{2} \angle CAE$$
i.e.
$$\angle CAE = 2\angle EAD \qquadII$$

From I and II, we get:

$$2\angle ABC = 2\angle EAD$$

 $\angle ABC = \angle EAD$


But these are corresponding angles and whenever the corresponding angles are equal, the lines are parallel.

: AD is parallel to BC.

Hence Proved.

10 In triangle ABC, AB = AC and D is a point on BC produced, DE is perpendicular to BA produced and DF is perpendicular to AC produced.

Prove that: BD bisects angle EDF.



Solution:

In
$$\triangle ABC$$
, $AB = AC$

 $\angle ABC = \angle ACB$ \Rightarrow

Also, $\angle ACB = \angle DCF$

 $\angle ABC = \angle DCF$:.

Now, in $\triangle BDE$ and $\triangle CDF$,

and, $\angle E = \angle F = 90^{\circ}$

and,
$$\angle E = \angle F = 90^\circ$$


∠EDB = ∠FDC

: BD bisects angle EDF.


Hence Proved.

EXERCISE 10(B)

- 1. If the equal sides of an isosceles triangle are produced, prove that the exterior angles so formed are obtuse and equal.
- 2. In the given figure, AB = AC. Prove that:
 - (i) DP = DQ
 - (ii) AP = AQ
 - (iii) AD bisects angle A



- 3. In triangle ABC, AB = AC; BE \perp AC and CF ⊥ AB. Prove that :
 - (i) BE = CF
 - (ii) AF = AE



- 4. In isosceles triangle ABC, AB = AC. The side BA is produced to D such that BA=AD. Prove that : $\angle BCD = 90^{\circ}$.
- 5. (i) In a triangle ABC, AB = AC and $\angle A = 36^{\circ}$. If the internal bisector of ∠C meets AB at point D, prove that AD = BC.
 - (ii) If the bisector of an angle of a triangle bisects the opposite side, prove that the triangle is isosceles.
- 6. Prove that the bisectors of the base angles of an isosceles triangles are equal.
- 7. In the given figure, AB = AC and ∠DBC = ∠ECB = 90°.

[Why ?]


[Why ?]

..... I

From I

Prove that:

- (i) BD = CE
- (ii) AD = AE




- 8. ABC and DBC are two isosceles triangles on the same side of BC. Prove that:
 - (i) DA (or AD) produced bisects BC at right angle.
 - (ii) ∠BDA = ∠CDA.
- 9. The bisectors of the equal angles B and C of

an isosceles triangle ABC meet at O. Prove that AO bisects angle A.


10. Prove that the medians corresponding to equal sides of an isosceles triangle are equal.

 Use the given figure to prove that, AB = AC.



In the given figure; AE bisects exterior angle CAD and AE is parallel to BC.

Prove that : AB = AC.



13. In an equilateral triangle ABC; points P, Q and R are taken on the sides AB, BC and CA respectively such that AP = BQ = CR. Prove that triangle PQR is equilateral.

14. In triangle ABC, altitudes BE and CF are equal. Prove that the triangle is isosceles.

15. Through any point in the bisector of an angle, a straight line is drawn parallel to either arm of the angle. Prove that the triangle so formed is isosceles.


16. In triangle ABC; AB = AC. P, Q and R are mid-points of sides AB, AC and BC respectively. Prove that:

(i) PR = QR

(ii) BQ = CP

17. From the following figure, prove that :


(i) ∠ACD = ∠CBE(ii) AD = CE



18. Equal sides AB and AC of an isosceles triangle ABC are produced. The bisectors of the exterior angles so formed meet at D. Prove that AD bisects angle A. 19. ABC is a triangle. The bisector of the angle BCA meets AB in X. A point Y lies on CX such that AX = AY.

Prove that : $\angle CAY = \angle ABC$.

20. In the following figure; IA and IB are bisectors of angles CAB and CBA respectively. CP is parallel to IA and CQ is parallel to IB.




Prove that:

PQ = The perimeter of the Δ ABC.

21. Sides AB and AC of a triangle ABC are equal. BC is produced through C upto point D such that AC = CD. D and A are joined and produced (through vertex A) upto point E. If angle BAE = 108°; find angle ADB.

 The given figure shows an equilateral triangle ABC with each side 15 cm. Also DE//BC, DF//AC and EG//AB.

If DE + DF + EG = 20 cm, find FG.



Each of triangles ADE, BDF and EGC is an equilateral triangle.

23. If all the three altitudes of a triangle are equal, the triangle is equilateral. Prove it.

24. In a Δ ABC, the internal bisector of angle A meets opposite side BC at point D. Through vertex C, line CE is drawn parallel to DA which meets BA produced at point E. Show that Δ ACE is isosceles.

25. In triangle ABC, bisector of angle BAC meets opposite side BC at point D. If BD = CD, prove that Δ ABC is isosceles.

Produce AD upto point E so that AD = DE. Now show that \triangle ABD \cong \triangle EDC by SAS \Rightarrow AB = EC and \angle E = \angle BAD. But \angle BAD = \angle CAD; therefore \angle E = \angle CAD \Rightarrow AC = EC. Now AB = EC and AC = EC \Rightarrow AB = AC *i.e.* triangle is isosceles

- 26. In \triangle ABC, D is a point on BC such that AB = AD = BD = DC. Show that : \angle ADC : \angle C = 4 : 1.
- 27. Using the information, given in each of the following figures, find the values of a and b.

