

Inequalities

11.1 INTRODUCTION

- 1. The sign > means, "is greater than" i.e. if 'a' is greater than 'b', we write : a > b.
- 2. The sign < means, "is less than" i.e. if 'a' is less than 'b', we write : a < b.

Theorem 3

If two sides of a triangle are unequal, the greater side has the greater angle opposite to it.

Given: A triangle ABC in which AB > AC.

To Prove : $\angle ACB > \angle B$.

Construction: From AB, cut AD = AC. Join C and D.

Proof:

Statement:

In \triangle ACD:

1. AC = AD

∠ACD = ∠ADC

In ABDC:

3. Ext. ∠ADC > ∠B

∴ ∠ACD > ∠B

∴ ∠ACB > ∠B

Reason:

By construction

Angles opposite to equal sides

Ext. angle of a Δ is always greater than each of its

interior opposite angles.

From 2 and 3.

Since, $\angle ACD$ is a part of $\angle ACB$,

 $\therefore \angle ACB > \angle ACD > \angle B.$

Hence Proved.

Theorem 4

(Converse of theorem 3)

If two angles of a triangle are unequal, the greater angle has the greater side opposite to it.

Given: A triangle ABC in which $\angle CAB > \angle B$.

To Prove: BC > AC.

Construction: Draw $\angle BAD = \angle B$.

Proof :

Statement:

In A ABD:

1. AD = BD

In \triangle ADC:

 $2. \qquad AD + DC > AC$

 $\therefore BD + DC > AC$

BC > AC

Reason:

Sides opposite to equal angles.

Sum of any two sides of a Δ is always greater than the

third side.

Since, AD = BD

BD + DC = BC

Hence Proved.

Theorem 5

Of all the lines, that can be drawn to a given straight line from a given point outside it, the perpendicular is the shortest.

Given: A point O outside the line AB and OP perpendicular to AB.

To Prove: OP is the shortest of all the lines that can be drawn from


O to AB.

Construction: Join O with any point Q in AB.

Proof:

Statement:

Reason:



In right angled ΔOPQ:

∠OPQ >∠OQP

Right angle is the greatest angle in a right angled Δ .

OQ > OP

Side opp. to greater angle is greater.

Similarly, it can be shown that OP is smaller than any other line that can be drawn from O to AB.

OP is the shortest line drawn from O to AB.

Hence Proved.


Corollary 1: The sum of the lengths of any two sides of a triangle is always greater than the third side.

For example:

In triangle ABC.

(i) AB + AC > BC,

(ii) AB + BC > AC and (iii) BC + AC > AB.



Corollary 2: The difference between the lengths of any two sides of a triangle is always less than the third side.

For example:


In triangle ABC, given for corollary 1, if AB is the largest side and AC is the smallest side; then:

(i) AB - AC < BC

(ii) AB - BC < AC and (iii) BC - AC < AB.

1 In the adjoining figure, AD bisects ∠A.

Arrange AB, BD and DC in the descending order of their lengths.



Solution:

$$\angle BAC = 180^{\circ} - (60^{\circ} + 40^{\circ}) = 80^{\circ}$$


$$\therefore \angle BAD = \angle CAD = \frac{80^{\circ}}{2} = 40^{\circ}$$

$$\angle ADB = 180^{\circ} - (60^{\circ} + 40^{\circ}) = 80^{\circ}$$


In
$$\triangle$$
 ABD, AB > AD > BDI

In
$$\triangle$$
 ADC, AD = DCII

Ans.



[Side opposite to greater angle is greater] [Sides opposite to equal angles are equal] [From I and II]



Solution:

In \triangle ABC and \triangle ADC


BC = CD [Given]
$$\angle ACB = \angle ACD$$
 [Each 90°]
and, AC = AC [Common]
$$\therefore \quad \Delta ABC \cong \Delta ADC$$
 [By S.A.S.]
$$\Rightarrow \quad AB = AD$$
 [By C.P.C.T.C.]
and so,
$$\angle a = \angle b$$
 [Angles opp. to equal sides]
In $\triangle ADE$, ext.
$$\angle b = \angle c + \angle DAE$$
 [Ext. $\angle = \text{sum of int. opp. } \angle s$]
$$\Rightarrow \quad \angle b > \angle c$$

$$\Rightarrow \quad \angle a > \angle c$$
 [:: $\angle a = \angle b$]
In $\triangle ABE$,
$$\angle a > \angle c$$

$$\Rightarrow \quad AE > AB$$
 [In a \triangle , side opp. to greater angle is greater]

Hence Proved.

3 In the given figure, AB = AC. Prove that AF is greater than AE.



Solution:

 $AB = AC \Rightarrow \angle B = \angle C$ [Angles opp. to equal sides are equal] Since, ext. $\angle C = \angle D + \angle a$ In Δ FCD, $\angle C > \angle a$ \Rightarrow $\angle a = \angle b$ [Vertically opp. $\angle s$] But, $\angle C > \angle b$I ext. $\angle d = \angle B + \angle D$ In Δ EBD, B $\angle d > \angle B$ $\angle d > \angle C$II [:: $\angle B = \angle C$] \Rightarrow

 \therefore $\angle d > \angle C$ and $\angle C > \angle b \Rightarrow \angle d > \angle b$

Hence Proved.

C

4 In the figure, given alongside, AD bisects angle BAC. Prove that :

 $\angle d > \angle b \Rightarrow \mathbf{AF} > \mathbf{AE}$

- (i) AB > BD
- (ii) AC > CD

(i) In triangle ADC,

(iii) AB + AC > BC

Solution:

In \triangle AEF.

Given, AD bisects angle BAC $\Rightarrow \angle BAD = \angle CAD$

ext. $\angle ADB = \angle CAD + \angle C$ $\angle ADB = \angle BAD + \angle C$ [:: $\angle CAD = \angle BAD$]

⇒ ∠ADB > ∠BAD

In triangle ABD, ∠ADB > ∠BAD

 \Rightarrow AB > BD [Greater angle has greater side opposite to it.]

Hence Proved.

(ii) In \triangle ABD,

ext. $\angle ADC = \angle BAD + \angle B$

 \Rightarrow $\angle ADC = \angle CAD + \angle B$ [: $\angle BAD = \angle CAD$]


⇒ ∠ADC > ∠CAD

In \triangle ADC, \angle ADC > \angle CAD \Rightarrow AC > CD Hence Proved.

(iii) Since, AB > BD and AC > CD

 $\therefore AB + AC > BD + CD \Rightarrow AB + AC > BC \qquad \text{Hence Proved.}$

- In quadrilateral ABCD; AB is the shortest side and DC is the longest side. Prove that:
 - (i) $\angle B > \angle D$
 - (ii) $\angle A > \angle C$



Solution:

Join B and D

In \triangle ABD, AD > AB [Given, AB is the shortest]

∴ ∠a > ∠c I [Angle opposite to the greater side is greater]

In \triangle BCD, CD > BC [Given, CD is the longest side]

 $\angle a + \angle b > \angle c + \angle d$ [Adding I and II]

 $\angle B > \angle D$

Hence Proved.

Similarly, by joining A and C, it can be proved that $\angle A > \angle C$.

Hence Proved.

6

AD is a median of triangle ABC. Prove that: AB + AC > 2AD

Solution:

According to the given statement, the figure will be as drawn alongside in which AD is a median i.e. BD = CD.

Produce AD upto a point E such that AD = DE i.e. AE = 2AD.

Also join C and E.

Since, the sum of any two sides of a triangle is greater than the third side, therefore in triangle ACE

$$AC + CE > AE$$

AC + CE > 2ADi.e.

..... I

In \triangle ADB and \triangle CDE

BD = CD[Given]

AD = DE[By construction]

 $\angle ADB = \angle CDE$ and, Δ ADB \cong Δ EDC :. [By S.A.S.]

AB = CE \Rightarrow [C.P.C.T.C.]

Substituting CE = AB in equation I, we get :

AC + AB > 2AD

AB + AC > 2ADi.e.

Hence Proved.

As proved above, if AD is a median of the triangle ABC;

$$AB + AC > 2AD$$

Similarly, if BE and CF are also the medians:

AB + BC > 2BE

and, BC + AC > 2CF

Adding these results, we get:




$$\Rightarrow$$
 AB + BC + AC > AD + BE + CF


i.e. the perimeter of a triangle is greater than the sum of the lengths of its medians.



P is any point in the interior of a triangle ABC.

Prove that : PA + PB < AC + BC





Solution:

According to the given statement, the figure will be as shown alongside.

Produce BP to meet AC at point M.

Since, the sum of any two sides of a triangle is greater than its third side.

$$\therefore$$
 In \triangle BCM, BC + CM > BM

..... I

and, in \triangle APM, AM + PM > AP

..... II

Adding I and II, we get:

$$BC + CM + AM + PM > BM + AP$$


$$\Rightarrow$$
 BC + (CM + AM) > BM - PM + AP

$$\Rightarrow$$

BC + AC > PB + PA


PB + PA < BC + AC

Hence Proved.




EXERCISE 11


From the following figure, prove that:
 AB > CD.



- 2. In a triangle PQR; QR = PR and ∠P = 36°. Which is the largest side of the triangle?
- 3. If two sides of a triangle are 8 cm and 13 cm, then the length of the third side is between a cm and b cm. Find the values of a and b such that a is less than b.
- In each of following figures, write BC, AC and CD in ascending order of their lengths.



 Arrange the sides of Δ BOC in descending order of their lengths. BO and CO are bisectors of angles ABC and ACB respectively.



- 6. D is a point in side BC of triangle ABC. If AD > AC, show that AB > AC.
- 7. O is a point in the interior of a triangle ABC. Show that: OB + OC < AB + AC.


$$x = a + b \Rightarrow a < x$$

 $\Rightarrow a < y$
 $\Rightarrow OB < AB$ I
Similarly OC < ACII
Adding I and II, we get:
 $OB + OC < AB + AC$

8. In the following figure, $\angle BAC = 60^{\circ}$ and $\angle ABC = 65^{\circ}$.


Prove that:

- (i) CF > AF
- (ii) DC > DF




9. In the following figure;


AC = CD; \angle BAD = 110° and \angle ACB = 74°. Prove that : BC > CD.




- 10. From the following figure; prove that:
 - (i) AB > BD
 - (ii) AC > CD
 - (iii) AB + AC > BC
- 11. In a quadrilateral ABCD; prove that :
 - (i) AB + BC + CD > DA
 - (ii) AB + BC + CD + DA > 2AC
 - (iii) AB + BC + CD + DA > 2BD
- 12. In the following figure, ABC is an equilateral triangle and P is any point in AC; prove that:
 - (i) BP > PA



- 13. P is any point inside the triangle ABC. Prove that: $\angle BPC > \angle BAC$.
- 14. Prove that the straight line joining the vertex of an isosceles triangle to any point in the base is smaller than either of the equal sides of the triangle.
- 15. In the following diagram; AD = AB and AE bisects angle A. Prove that:
 - (i) BE = DE
- (ii) ∠ABD > ∠C




- 16. The sides AB and AC of a triangle ABC are produced; and the bisectors of the external angles at B and C meet at P. Prove that if AB > AC, then PC > PB.
- 17. In the following figure; AB is the largest side and BC is the smallest side of triangle ABC.



Write the angles x° , y° and z° in ascending order of their values.


- 18. In quadrilateral ABCD, side AB is the longest and side DC is the shortest. Prove that:
 - (i) $\angle C > \angle A$
- (ii) $\angle D > \angle B$
- 19. The following figure shows a triangle ABC with exterior angles as x, y and z.



- (i) If AB > AC > BC; arrange the angles x,y and z in ascending order of their values.
- (ii) In the same figure, if y > x > z; arrange sides AB, BC and AC in descending order of their lengths.
- 20. (i) In a right angled triangle prove that hypotenuse is the greatest.
 - (ii) In a triangle ABC, ∠ACB = 108°, show that AB is the largest side of the triangle.

- 21. In triangle ABC, D is any point in side BC. Show that : AB + BC + AC > 2AD
- 22. In triangle ABC, side AC is greater than side AB. If the internal bisector of angle A meets the opposite side at point D, prove that : ∠ADC is greater than ∠ADB.
- 23. In isosceles triangle ABC, sides AB and AC are equal. If point D lies in base BC and point E lies on BC produced (BC being produced through vertex C), prove that:

- (i) AC > AD
- (ii) AE > AC
- (iii) AE > AD
- 24. Given: ED = EC



25. In triangle ABC, AB > AC and D is a point in side BC. Show that : AB > AD.