Syllabus: Aids to health: Active and passive immunity. Meaning of active and passive immunity. An understanding of the use and action of the following – vaccination, immunisation, antitoxin, serum, antiseptics, disinfectants and antibiotics.

An idea of the local defence system and its merits, difference between antiseptics and disinfectants.



To be healthy, we need personal care as well as community involvement. This chapter on Aids to Health is intended to familiarise you with various (natural and artificial) ways of protection from diseases. Apart from the importance of the topic for examination, the information given here is very helpful for leading a healthy life

17.1 NEED TO KEEP HEALTHY

Every individual wishes to keep healthy and disease-free. This requires several things — some at personal level and some at community level. At **personal level**, one has to keep his body clean by washing, bathing, brushing teeth, regular physical exercise, and proper diet and proper rest and sleep. At **community level**, our surroundings should be kept clean with no accumulation of garbage or stagnant water, *etc.*, so that the disease-spreading insects and pests do not thrive.

WORLD HEALTH DAY APRIL, 7

This day is celebrated to create consciousness about keeping healthy and disseminate the message at all levels.

17.2 IMMUNITY

Immunity means body's defence against disease. Our body is all the time invaded by various harmful substances like pollutants (poisonous chemicals) and germs. They may enter our body in the following four ways:

- 1. Directly through the skin,
- 2. Through mucous membranes of eyes, nose, urinary or genital tracts,
- 3. Through food or water intake,
- 4. Through the air we breathe in.

Our body system first tends to **prevent their entry** into the body. Secondly, if somehow they do enter, the body fights with them, so that they cause no harm (**rendered harmless**).

The defence system in our body works at two levels:

- A. Local defence system (Prevention of entry of germs). This is a kind of barrier system which tackles the germs at their possible entry points. It includes:
 - (1) protective mechanical barriers
 - (2) thrown out, if entered
 - (3) germ-killing secretions, and
 - (4) germ-fighting WBCs.
- B. Immune system. It deals with the germs after they have entered into the body tissues.

17.2.1 LOCAL DEFENCE SYSTEM

- 1. **Protective mechanical barriers**. These include the skin, hair, mucus, etc.
- (i) Skin Skin has an outer tough layer made of a protein keratin and it is almost impermeable to germs. At any given time, there are lots of germs settled on the outer surface of the skin, which have come through the air or through direct contact with contaminated objects. Even a handshake or a kiss on the cheeks of a baby transfers germs from one individual to another. Washing with

soap and water removes the germs. Any scratch or cut in the skin opens the way for germs to get in. Should there be any cut in the skin, the clotting of blood plugs the cut ends of blood vessels at the wound to prevent entry of germs.

- (ii) Hairs Hairs intercept the germ's journey inwards or upto the skin. Hairs inside the nostrils trap dust containing the germs.
- (iii) Mucus Mucus is a slimy secretion of the epithelial lining of various organs. For example:
 - the mucus secreted in the nasal passage and the wind pipe, traps many bacteria and prevents their entry into the body tissues.
 - Cilia of the wind-pipe throw out the bacteria trapped in the mucus.

2. Thrown out, if entered

Coughing, sneezing and vomiting are direct methods to throw out the germs or any foreign unwanted objects which get into the respiratory and digestive systems. Even diarrhoea (loose motions) helps in throwing out the germs if the infection persists in the digestive track.

3. Germ-killing secretions

- (i) Saliva, sweat, tears and nasal secretions contain germ-killing substances.
- (ii) Hydrochloric acid secreted by the stomach kills germs that gain entry along with the food.

4. Germ-fighting white blood cells (WBCs).

Should any microbe enter the body systems, the white blood cells (phagocytes) are ready to fight them. They squeeze out of the walls of the blood capillaries (by **diapedesis**) and engulf the bacteria or the germs and destroy them (**phagocytosis**) (Figs. 17.1 and 17.2). Pus in a wound, for example, is a mixture of destroyed germs, killed WBCs and damaged tissue cells.

MERITS OF LOCAL DEFENCE SYSTEMS

- 1. They start working instantaneously.
- 2. They are **not dependent on previous exposure** to infections.
- 3. They are effective against a wide range of potentially infectious agents.




Fig. 17.1: The engulfing of bacteria by white blood cells (phagocytosis). A-Cell forcing its way across capillary wall (diapedesis), B-White cell attracted towards bacteria, C-Bacteria are engulfed by the white cell. (The W.B.C. shown here is neutrophil with 4-lobed nucleus)





Fig. 17.2: Two white blood cells patrolling the alveoli in a human lung. The spherical one is in its normal shape. Below it is an elongated white cell, about to engulf the round particle on the left. (Scanning electron microscopic view, highly magnified about \times 5,000)



17.2.2 IMMUNE SYSTEM

The local defence systems are not effective in all cases and circumstances. Certain microbes (germs) or their poisonous secretions (toxins) do enter the deeper tissues and various organ-systems, by their special mechanisms of entry or through any breaches in the protective barriers.

At this stage, the blood and other body fluids start fighting against the germs or any other unacceptable foreign substance. The body fluids contain special proteins called **antibodies** which react with the invading germs, and **antitoxins** which react with their poisons (toxins) to destroy them, and thus they provide protection against disease (immunity).


Immunity is the resistance to the onset of a disease after infection by harmful germs.

To define more elaborately – Immunity is the "capacity of our body to deal with foreign substances, e.g., bacteria, viruses, toxins, etc. that enter our body and to render them harmless." or simply, "it provides resistance against disease—causing germs."

KINDS OF IMMUNITY

Immunity can be classified into two main categories-innate and acquired immunity and their different subcategories are as follows:

- INNATE IMMUNITY, also called natural or native immunity. This immunity is by virtue of genetic constitutional make-up. It is there in the body without any external stimulation or a previous infection.
 - (a) Non-specific innate immunity. A degree of natural resistance to all infections in general. For example, humans do not suffer from the plants' highly infectious diseases, or even certain diseases of animals.
 - (b) Specific innate immunity. This is a natural resistance to a particular kind of germ only. Some races or some individuals do not suffer from certain infectious diseases. For example, human beings are immune to a highly infectious disease of dogs (known as 'Distemper'), which kills about 50% of all infested dogs.
- 2. ACQUIRED IMMUNITY Resistance to a



disease which an individual acquires during his life-time. It may be the result of:

EITHER

A previous infection (actively acquired immunity), e.g., a person having once suffered from "measles" will not normally suffer from it again.

OR

"Ready-made" antibodies supplied from outside (passively acquired immunity), e.g. a person bitten by a poisonous snake is given anti-venin injection (venom: poison) which contains antibodies for the poison that were produced in the body of a horse.

- (a) Actively acquired immunity. This is the resistance developed by an individual due to a previous infection or antigen (chemical found on the surface of the disease-causing germ cell) which enters his body naturally leading to (i) naturally acquired active immunity) or is introduced artificially, as in vaccinations leading to (ii) artificially acquired active immunity). In either case, the body lymphocytes react in two ways:
 - They produce antibodies which freely circulate in the blood & lymph, and which bind to the microorganism to kill it.
 - They produce killer cells carrying specific

invading germs.

The actively acquired immunities are usually **long-lasting** carried out through 'memory' lymphocytes.

- (b) Passively acquired immunity. This is the immunity provided to an individual not by his own body but from an outside source in the form of "ready-made" antibodies. The passively acquired immunity again can be of two types:
- (i) Naturally acquired passive immunity. In it, the readymade or the "pre-prepared" mother's antibodies may reach the foetus (developing embryo) through the placenta.
- (ii) Artificially acquired passive immunity. In this, the antibodies are produced in the blood of a horse or some other animal by injecting germs into its body. Antiserum injections are prepared from the serum (containing antibodies) of such animals' blood and are injected into the body of the patient, e.g. in the treatment of snake-bite by antivenin or that of a diphtheria patient by anti-diphtheria injections. Haffkine's Institute in Bombay and another institute at Kasauli are preparing several such anti-sera. Antivenin for treating snake-bite is also based on the same principle.

For the sake of simplicity, let us just take the active and passive immunities and summarise the differences between them as given in table 17.1 at the bottom.

17.2.3 ANTIBODIES

These are special chemicals found in the blood which act against the **germs** or their secretions.

- follows:
 - 1. The antibodies are **proteins** (they belong to the class of immunoglobulins).
 - 2. Antibodies are produced by a type of specialised lymphocytes on exposure to antigens (chemical substances found on the germs' cells) (Fig. 17.3). These special lymphocytes particularly concentrate in the lymph nodes and spleen and also in the circulating blood and lymph.




Fig. 17.3: Antibodies attack bacteria

- Our body can make an unlimited variety of different antibodies.
- 4. Antibodies are **specific** which means that one kind of antibody acts against only one particular type of antigen.
- 5. An antibody **recognises** its particular antigen and binds to it rendering it harmless, which is subsequently destroyed and eliminated by the body.
- 6. Some antibodies are present in the blood of some people from the very birth. Such people having these particular antibodies in their blood do not suffer from those particular diseases

Table 17.1: Differences between active and passive immunity

Active Immunity		Passive Immunity	
1.	Produced by one's own body.	1.	Received from outside, i.e.not developed by one's own body.
2.	Induced by infection or by contact with immunogens (immunity-producing agents such as vaccines, allergens, etc.).	2.	Provided by readymade antibodies.
3.	Provides effective and long-lasting protection.	3.	Protection is less effective and does not ensure against a subsequent infection.
4.	Immunity effective only after a certain time gap (time required for production of antibodies).	4.	Immediately effective.

- even if the germs for them have crossed the barriers and escaped the phagocytes.
- 7. Immunity produced by the antibodies on exposure to antigens may be *either* for a **short period** (as in common cold, cholera), *or* for a **longer period** (as in small pox, measles, *etc.*).

SUMMARY OF OUR BODY'S DEFENCE AGAINST DISEASE GERMS

- A. BARRIERS (Prevent entry of germs)
 - A1. Prevent entry mechanically
 - · Tough outermost layer of skin
 - · Hairs on skin and in nose
 - · Blood clot plug at any cut
 - Cilia in wind pipe
 - A2. Prevent entry by killing
 - Sweat
- HCl in stomach
- Tears
- Nasal secretion
- Saliva
- Mucus in wind pipe and food canal
- A3. Thrown out if entering
 - Coughing
- Sneezing
- Vomiting
- Diarrhoea

B. FIGHT TO KILL GERMS ON ENTRY INTO THE BODY (Immune Response)

- B1. At entry point (non-specific)
 Phagocytes (WBCs) engulf pathogens in general (Inflammation increases blood supply, WBCs engulf debris).
- B2. In the deeper parts (*specific*, by **recognising** the pathogen)
 - By antibodies (humoral immunity humor: body fluid)
 - Killer cells invade the pathogen or even kill an infected body cell (cell-mediated immunity)

A CONDITION IN WHICH THE IMMUNE SYSTEM FAILS

- AIDS -

(Acquired immune deficiency syndrome)

This feared disease (with no cure as yet) is caused by the infection of HIV (Human Immunodeficiency Virus). It is transmitted through sexual contact, contaminated syringe needles, and through blood transfusion. The virus attacks the cells of the immune system and causes a marked reduction in T-cells of the thymus. These are the cells which activate lymphocytes that produce immunity. With the collapse of immunity in full-blown AIDS cases, other severe infections develop unchecked to ultimately cause death.

A detailed account of AIDS, its germ, mode of infection, symptoms etc. have been given in *Concise Biology Part I* of Class IX.

Dec. 1 — WORLD AIDS DAY

(Awareness for its severity and protection)

?

PROGRESS CHECK

- 1. Give one example of each of the following:
 - (i) Germ killing body secretion
- (ii) Germ trapping body secretion
- (iii) Mechanical barrier that prevents entry of germs into
- 2. Mention if the following statements are **True** (**T**) or **False** (**F**)
 - (i) Immune system deals with the germs after they have entered the body.

 T/F
- (ii) Antibodies eat up the germs T/F
- (iii) Human beings can suffer from all those diseases which attack dogs.

 T/F
- (iv) Anti-venine injection against snake bite is an example of artificially acquired passive immunity. T/F
- (v) Mother's antibodies may reach the foetus through placenta.
- (vi) A person having once suffered from measles usually gets repeated attacks.

17.3 VACCINATION AND IMMUNISATION

Vaccination is the practice of artificially introducing the germs or the germ substance into the body for developing resistance to particular diseases. Scientifically, this practice is called prophylaxis and the material introduced into the body is called the vaccine.

The vaccine or germ substance is introduced into the body usually by injection and sometimes orally (e.g. polio drops). Inside the body, the vaccine stimulates the WBCs to produce antibodies against germs for that particular disease.

The terms "vaccine" and vaccination" were originally used for vaccination against small pox, but now these are used in a general sense.

FOUR CATEGORIES OF VACCINES:

- (1) Killed germs, as TAB vaccine for typhoid, Salk's vaccine for poliomyelitis, and the vaccine for rabies (dog-bite).
- (2) Living weakened germs, as the vaccine for measles, and the freezed-dried BCG vaccine for tuberculosis. Full form of BCG is "Bacillus of

Calmette and Guerin" after the names of two French workers who developed this strain for vaccination.

- (3) Living fully poisonous germs, as for smallpox. In this vaccination, a person is inoculated with cowpox virus which is very similar to smallpox virus. Cowpox virus causes only a single pustule to develop rather than multiple pustules of smallpox all over the body. Vaccination by cowpox vaccine protects from smallpox as well. The smallpox vaccinations are no more given, because the disease has been totally eradicated according to present-day records.
- (4) Toxoids (inactivated toxin secreted by bacteria), as for diphtheria and tetanus. These toxins (poisons) are made harmless by the addition of dilute formalin, yet retaining the capacity to produce antibodies (antitoxins). Attempts are being made to develop a vaccine against AIDS also, let us pray we succeed in it.

VACCINATION

Vaccination is the introduction of any kind of dead or weakened germs into the body of a living being to develop immunity (resistance) against the respective disease or diseases.

IMMUNISATION

Developing resistance to disease-producing germs or their toxins by introducing killed germs or germ substance to induce the production of specific antibodies.

Immunisation against some common infectious diseases has been taken up in India on a mass scale with an attempt to cover the entire population. The National Immunisation Schedule is as follows:

NATIONAL IMMUNISATION SCHEDULE

Age	Vaccinations
3 - 12 months	DTP — 3 doses at intervals of 4 - 6 weeks Polio (oral) — 3 doses at intervals of
	4 -6 weeks
	BCG (Intradermal)
9 - 15 months	Measles vaccine — one dose
18 - 24 month	s DTP — booster dose
	Polio (oral) booster dose
5 - 6 years	DT against diphtheria and tetanus, booster
	dose
	Typhoid (TAB) vaccine — 2 doses at an
	interval of 1 - 2 months

10 years	Tetanus toxoid — booster dose
75)	Typhoid vaccine — booster dose
16 years	Tetanus toxoid — booster dose
	Typhoid vaccine — booster dose
Mothers	(a) Immunised previously. One booster dose
(during	of tetanus toxoid, preferably 4 weeks
pregnancy)	before the expected date of delivery.
	(b) Non-immunised:
	Two doses of tetanus toxoid, the first
	dose between 16 and 24 weeks and the
	second dose between 24 and 32 weeks

Abbreviations :

DTP = Diphtheria, Tetanus and Pertussis (whooping cough)

of pregnancy.

DT = Diphtheria and Tetanus;

BCG = (Bacillus of Calmette and Guerin)
Tuberculosis.

	PROGRESS CHE	CK
•	I NOUNLSS CITE	

- 1. Define the term prophylaxis.
- Name the four categories of materials for preparing vaccines.

.....

......

- 3. Name the diseases prevented by:
 - (i) Salk's vaccine.....
- (ii) BCG vaccine
- (iii) DTP vaccine

17.4 ANTITOXINS (More appropriately called AN-TIBODIES)

The terms "Toxin" and "Antitoxin"

Toxin is a general term used for any poisonous substance produced by an animal or a plant or a bacterium. *Example*: Snake venom, sting poisons of scorpion, insects, etc., or even poisonous chemicals released by pathogens growing inside the body.

"Antitoxin" was the name given to any chemical substance produced inside the body in response to the entry of foreign posionous substance. "Antivenins" for snake bites are produced inside animals like horses. Presently, the more general term "antibody" is used instead of "antitoxin".

"Antibody" is a blood serum protein produced in response to the injected antigens.

Suppose, someone has actually got a disease such as diphtheria, in such a case, injecting pre-prepared

this, an antibodies from some other source is helpful. For this, an antibody containing serum is obtained from the blood of horses, rabbits, etc., in which the disease is artificially produced in a mild form. Treatment with such antibodies is called **passive immunisation**. Haffkine's Institute in Bombay and another institute at Kasauli are preparing several such anti-sera. Antivenine for treating snake-bite is also based on the same principle.

17.5 ANTISEPTICS AND DISINFECTANTS PREVENT CATCHING DISEASES

17.5.1 ANTISEPTICS

These are mild chemical substances which, when applied on the body, kill germs. These substances are in such mild concentration that they cause no harm to the skin and body. Lysol, carbolic acid, iodine, benzoic acid, mercurochrome, boric acid, etc., in dilute solution are good antiseptics. Certain antibiotic creams also serve the same purpose.

A CAUTION

Do not use commercial names as examples of antiseptics in your examination answers.

Names like Dettol, Savlon, Listerine, Soframycin are all commercial names. They may have one or the other active ingredient individually or in combination. It is these active ingredients which actually serve as antiseptics.

17.5.2 DISINFECTANTS

These are strong chemical substances that are applied on spots and places where germs thrive and multiply. Commonly used disinfectants are cresol, phenol, lysol, 40% formalin, lime, bordeaux mixture, DDT, etc. Precaution: All disinfectants are strong and should not come in contact with the human skin.

Strong heat and boiling also destroy germs and may be called physical disinfectants.

Deodorants are neither antiseptics nor disinfectants. They only serve to mask a bad smell.

Table 17.2 : Differences between antiseptics and disinfectants

Antiseptics	Disinfectants	
1. Mild germ-killing chemicals.	Strong germ-killing substances.	
2. Cause no harm to skin and body.	2. May cause harm to skin and body.	
3. Applied on body.	3. Applied on spots.	
Example: Iodine	Example: Phenol	

17.6 ANTIBIOTICS - PENICILLIN AND OTHERS

Antibiotics are chemical substances produced by some microorganisms, and can kill or inhibit the growth of other microorganisms.

The term ANTIBIOTICS

The first antibiotic Penicillin was discovered in 1929, but its first use for treating any human disease was tried in the 1940s. The term "Antibiotics" for such category of drugs was coined much later, by Selman Waksman in 1942.

DISCOVERY OF PENICILLIN

Alexander Fleming (1881-1955) working in a hospital in London, was growing laboratory cultures of a bacterium *Staphylococcus* (round bacteria growing in clusters). In 1928 he found that a certain unwanted mould *Penicillium* had grown in one of the cultures in a petri dish and this had inhibited the growth of the bacteria for some distance. Obviously, some substance must have spread from the mould, which killed the bacteria upto that distance. Fleming named this bacteria-killing substance released from the mould as Penicillin in 1929. In the expectation of this substance to become an effective killer of disease bacteria, it was tried on laboratory animals and showed positive results without harming the animals.

On humans, the substance penicillin was first tried in the early 1940s and was found to be quite effective against several infections. In particular, it yielded very good results in treating gonorrhea, a sexually transmitted disease (STD). Sometimes, the physicians in those early days recommended using a combination of penicillin and sulpha drugs under the name "pentidsulph". Thereafter, a whole lot of antibiotics such as streptomycin, chloromycetin, aureomycin, ampicillin, etc. have been discovered and are being effectively used against many infectious diseases.

Antibiotics are also being used for the prevention of infections after surgical operations.


SOURCES OF ANTIBIOTICS

The mould which produced penicillin in the findings by Fleming, was found to be *Pencillium notatum*. This mould is somewhat similar to the one that often grows on oranges, lemon and other citrus fruits. The commercial production of penicillin has

P. chrysogenum, but it is also being produced synthetically.

Streptomycin is one of the very widely used antibiotics. This is obtained from a bacterium Streptomyces.

A large number of antibiotics are now made synthetically rather than from culturing microorganisms.



Antibiotics like penicillin are made by fungi and other microbes. They play a very important part in medical treatment of illnesses.

USES OF ANTIBIOTICS

- 1. Primarily, the antibiotics find a wide use in medicine to **fight infections**.
- Certain antibiotics are used as food preservatives, specially fresh meat and fish.
- 3. Some are used in **treating animal feed** to prevent internal infections.
- 4. Some antibiotics are used for **controlling plant** pathogens.

HOW IS IT?

You may be curious to know how the antibiotics kill the germs. Here are two examples.

Penicillin interferes with cell wall formation and hence the bacteria are unable to grow and multiply.

Streptomycin binds to bacterial ribosomes which are then unable to synthesise proteins and the bacteria are unable to grow and multiply.

17.7 SULPHONAMIDE GROUP OF MEDICINES

Since ancient times, man has been trying to discover newer and newer medicines to cure products, many of which worked well. He also tried various chemical substances, and some of these yielded good results. This is how the kind of treatment *chemotherapy* (treatment by the use of chemicals) was developed.

In 1910, a drug called *salvarson* (based on an arsenic compound) was produced. It killed the germs of syphilis as well as of sleeping sickness. But frequently, it proved poisonous to the patient as well.

In the 1930s, a group of chemicals known as *sulphonamides* were discovered which proved effective in many types of bacterial diseases. Sulphadiazine and sulphanilamide are two such sulpha drugs. These are synthetic drugs and they interfere with the metabolism of bacteria which are thus killed.

Sulphonamides are now rarely used, and that too, in combination with antibiotics, for certain ailments.

Correct the following statements if they are false (without changing the first word). (i) DDT is an antiseptic.

PROGRESS CHECK

(ii) Penicillin is a disinfectant.

(iii) Disinfectants are applied on the body.

(iv) Deodorants are both antiseptic as well as disinfectants.

......

......

....

(v) Alexander Fleming discovered the first sulphonamide.

(vi) Antibiotics cannot be made synthetically.

(vii) Sulphonamides are now rarely used.

2. List any three uses of antibiotics.

REVIEW QUESTIONS

A. MULTIPLE CHOICE TYPE

(Select the most appropriate option in each case)

- 1. Penicillin is
 - (a) an antiseptic
- (b) a disinfectant
- (c) an antibiotic
- (d) an anti-toxin
- 2. "T" in DTP vaccination stands for

 - (a) Tuberculosis
- (b) Typhoid
- (c) Tetanus
- (d) Tonsilitis
- 3. World Health Day is celebrated on
 - (a) April 7
- (b) February 21
- (c) October 10
- (d) January 15

B. VERY SHORT ANSWER TYPE

- 1. Name the following:
 - (a) The drug based on arsenic compound, produced in 1910 which killed germs of syphilis.
 - (b) The antibiotic that was discovered first.
 - (c) The category of immunity required in the treatment of snake-bite.
 - (d) Any four antiseptics, any two disinfectants and any two antibiotics.
 - (e) The vaccine that helps to produce immunity against
- 2. Write the full forms of : (i) AIDS, (ii) BCG, (iii) DPT vaccine (iv) WHO
- 3. Give the **technical term** for the kind of proteins produced in the blood to fight and destroy harmful microbes.

C. SHORT ANSWER TYPE

- 1. Mention if the following statements are true (T) of false (F).
 - (a) Lysol is an antibiotic.
 - (b) Sweat and tears contain germs-killing substances.
 - (c) Our body can make only a limited variety of different antibodies.
 - (d) Salk vaccine is used against tuberculosis.
 - (e) Treatment by the use of chemicals is known as allopathy.
 - (f) Alexander Fleming coined the term "antibiotic" for substances like penicillin.


Differentiate between :

- (a) Antiseptic and antibiotic,
- (b) Antiseptic and disinfectant,
- (c) Disinfectant and deodorant,
- (d) Vaccination and sterilisation
- (e) Active immunity and passive immunity,
- (f) Innate immunity and acquired immunity.

- 3. Name any three vaccines and the diseases for which they provide immunity.
- 4. Given below are the groups of certain substances of particular categories. Mention the category of each group and identify the wrong example giving reason.
 - (a) Lysol, benzoic acid, DDT, mercurochrome.
 - (b) Formalin, iodine, lysol, phenol.
 - (c) BCG, DTP, ATP.
 - (d) Tears, skin, nasal secretion, HCl (in stomach).
- 5. Given below is a table of certain vaccines, the diseases against which they are used and the nature of vaccine. Fill up the gaps 1 - 10.

Vaccine	Disease(s)	The nature of vaccine
TAB	1,	2
Salk's vaccine	3	4
BCG	5	Living weakend germs
Vaccine for measles	Measles	6
Cowpox virus	7	8
Toxoids	9	Extracts of toxins
	10	secreted by bacteria

6. Given below is a scheme of classifying immunity against human diseases. Fill up the types of immunity in the blanks 1 - 9.



- used.
- 8. List the merits of local defence systems.
- Suppose a person develops the disease diphtheria.
 Comment upon the principle of the treatment he should receive.
- 10. What first aid steps would you take in the following cases of accident?
 - (a) Bleeding from a cut in the skin.
 - (b) A fractured arm.
 - (c) Stoppage of breathing due to electrical shock.

D. LUNG ANSWER TIPE

- 1. The principle of vaccination is to produce immunity against a disease. Explain.
- "Abnormally, large number of WBCs in the blood are usually an indication of some infection in our body." Comment on the statement.
- 3. Explain briefly, the role of the following health aids:
 - (a) Antiseptics (b) Disinfectants (c) Vaccines